

Telelogic Publishing Engine

Palette Reference Guide

Release 1.0

Before using this information, be sure to read the general information under Appendix, [“Notices” on page 55.](#)

This edition applies to **VERSION 1.0, Telelogic Publishing Engine** and to all subsequent releases and modifications until otherwise indicated in new editions.

© **Copyright IBM Corporation 2008**

US Government Users Restricted Rights—Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Table of contents

Telelogic Publishing Engine - Palette Reference	1
Overview	1
Styled text	5
Common	5
Text	5
Common	5
Date	6
Data	6
Image	6
Font	6
Character	7
Effects	7
Line	7
Border	8
Border margin	8
Border color	8
Border width	8
Border style	9
Color	9
Paragraph	9
Common	9
Font	10
Character	10
Effects	10
Line	10
Border	11
Border margin	11
Border color	11
Border width	12
Border style	12
Padding	12
Color	13
Arrangement	13

Indentation	13
Pagination	13
Exceptions	14
Spacing	14
Level	14
Numbering	14
Numbering common	14
Numbering font	15
Numbering character	15
Numbering effects	15
Numbering line	16
Table	16
Common	16
Specific	17
Positioning	17
Font	17
Character	17
Effects	18
Line	18
Border	18
Border margin	18
Border color	19
Border width	19
Border style	20
Cell text padding	22
Cell border	22
Color	22
Row	23
Common	23
Specific	23
Size	23
Font	24
Character	24
Effects	24
Line	24
Cell	25

Common	25
Specific	25
Font	25
Character	25
Effects	26
Line	26
Border	26
Border color	26
Border width	27
Border style	27
Cell text padding	29
Color	30
Image	30
Common	30
Specific	30
Border	31
Border margin	31
Border color	31
Border width	31
Border style	32
Crop	32
Resize	32
Size	33
List	33
Common	33
Specific	34
Numbering	34
Numbering common	34
Numbering font	34
Numbering character	34
Numbering effects	35
Numbering line	35
List detail	36

Common	36
Font	36
Character	36
Effects	36
Line	37
Border	37
Border margin	37
Border color	38
Border width	38
Border style	38
Padding	39
Footnote	39
Common	39
Specific	39
Font	39
Character	40
Effects	40
Line	40
Comment	41
Common	41
Font	41
Character	41
Effects	41
Line	41
Hyperlink	42
Common	42
Specific	42
Font	42
Character	43
Effects	43
Line	43
Header	44

Common	44
Specific	44
Font	44
Character	44
Effects	45
Line	45
Footer	45
Common	45
Specific	45
Font	46
Character	46
Effects	46
Line	46
Region	47
Specific	47
Table of contents	47
Common	47
Specific	47
Toc item	47
Table of tables	48
Common	48
Specific	48
Table of figures	48
Common	48
Specific	48
Masterpage	48
Common	48
Specific	48
Margin	49
Page border	49
Options	49
Margin	49
Color	50
Style	50
Width	50
Color	51
Size	51
Field	51






Common	51
Specific	51
Page number	51
Common	51
Specific	51
Figure caption	52
Common	52
Specific	53
Table caption	53
Common	53
Specific	53
Content	53
Container	53
Common	53
Bookmark	53
Common	53
Page break	54
Specific	54
Section break	54
Common	54
Specific	54
Include	54
Common	54
Appendix A: Notices	55
Trademarks	58








Telelogic Publishing Engine - Palette Reference







Overview





The Telelogic Publishing Engine Document Studio offers a broad range of structural elements you can use when authoring templates. This section offers a brief overview for each element while the next sections presents in detail the formatting that can be applied for each element.



NOTE the properties values listed in the detailed tables are the lowest common denominator for the output types supported by TPE. Validation checks will be made using these values but each output type will handle as appropriate. And while using values outside the indicate ranges can prove to be valid for some output formats, it is recommended to use valid values.

Icon	Name	Description	Container	Hosts data
	Text	The basic block for building templates. Renders its content with the specified formatting. The formatting is applied to the whole content. Can contain data but cannot contain other elements.	No	yes
	Styled text	A block of text that can have basic formatting at word level.	No	No
	Paragraph	A container for other elements. Cannot contain data directly. Adds a carriage return into the output then renders its child elements.		
	Image	Inserts an image into the output. The image can be taken from the template or have its path calculated at runtime.	No	yes
	Container	Similar to paragraph with 2 exceptions: <ul style="list-style-type: none">• cannot be styled• does not add a carriage return into the output When hosted by a table can contain only row elements.	yes	No

	Table	A table can contain rows or Container elements. Creates a table in the output then renders its child elements, rows or containers.	yes	No
	Row	Creates a row in the current table (direct child or inside a container in a table), then renders its child elements (cells).	yes	No
	Cell	Creates a cell in the current row of the current table then render its child elements (any).	yes	No
	List	Creates a list in the output then renders its child elements (list items).	yes	No
	List details	Creates a list item in the current list in the output then renders its child elements (any).	yes	No
	Footnote	Creates a footnote in the current output page. The text of the footnote is the “content” of the footnote element. Supported on Word output only.	No	yes
	Region	Defines are region that will host elements. If an element has the “region” property specified, it will be rendered in the specified region instead of the current position in the document. You can define elements inside the region.	yes	No

	Bookmark	Defines a bookmark in the document. The name of the footnote is the “content” of the bookmark element. When generating the documents, TPE will generate a unique name for each bookmark. The name is based on the name provided at design time and a unique identifier generated at runtime.	No	Yes
	Comment	Adds a comment element into the output. The form and shape of the output comment is specific to the output format. The comment’s text is taken from the template element content. Supported on Word and PDF.	No	yes
	Hyperlink	Adds a hyperlink in the output. The hyperlink can point to a location inside the document or to an external location.	No	Yes
	Page Break	Adds a page break to the output.	No	No
	Table of Contents	Adds a table of contents to the output.	No	No
	Table of Tables	Adds a table of tables to the output. You need to add Table Captions in your document template for this table to contain anything. Supported on Word output only. You need to update all fields in the Word document in order to see/update the value of the field.	No	No

	Table of Figures	<p>Adds a table of tables to the output. You need to add Figure Captions in your document template for this table to contain anything.</p> <p>Supported on Word output only.</p> <p>You need to update all fields in the Word document in order to see/update the value of the field.</p>	No	No
	Field	<p>Adds a generic Word field element. You can type any valid Microsoft Word code in the "field code" property.</p> <p>Supported on Word output only.</p> <p>You need to update all fields in the Word document in order to see/update the value of the field.</p>	No	No
	Page Number	<p>Adds a page number in the output.</p> <p>Supported on Word and PDF output only.</p>	No	No
	Table Caption	<p>Adds a table caption. While you cannot specify dynamic content into a table caption, any subsequent text element will be concatenated to it.</p> <p>Supported on Word output only.</p> <p>You need to update all fields in the Word document in order to see/update the value of the field.</p>	No	No

	Figure Caption	<p>Adds a table caption. While you cannot specify dynamic content into a table caption, any subsequent text element will be concatenated to it.</p> <p>Supported on Word output only.</p> <p>You need to update all fields in the Word document in order to see/update the value of the field.</p>	No	No
	Include file	<p>Includes the specified file in the output as an "INCLUDETEXT" field.</p> <p>Supported on Word output only.</p> <p>You need to update all fields in the Word document in order to see the included file.</p>	No	Yes

Styled text			
Common			
Property	Domain	Description	Supported
style name	desired style name	applies style's properties to the current object	WORD HTML PDF
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF
Text			
Common			
Property	Domain	Description	Supported
style name	desired inherited style name	applies style's properties to the current object	WORD HTML PDF

masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF
Date			
Property	Domain	Description	Supported
date pattern	yyyy.M.d		WORD HTML PDF
Data			
Property	Domain	Description	Supported
data formatting	mixed, source, template	specifies the manner in which text data formatting shall be handled	WORD HTML PDF
Image			
Property	Domain	Description	Supported
image width	1 to infinite	forces the image's width	WORD HTML PDF
image height	1 to infinite	forces the image's height	WORD HTML PDF
image max width	1 to infinite	sets the image's maximum width	WORD HTML PDF
image max height	1 to infinite	sets the image's maximum height	WORD HTML PDF
image min width	1 to infinite	sets the image's minimum width	
image min height	1 to infinite	sets the image's minimum height	
Font			
Property	Domain	Description	Supported
font color	000000 to FFFFFFFF	sets the font color	WORD HTML PDF
font size	1 to 1600	sets the font size	WORD HTML PDF
font family	font names that are available within current system fonts	sets the font family	WORD HTML PDF

bold	true, false	sets the bold	WORD HTML PDF
italic	true, false	sets the italic	WORD HTML PDF
Character			
Property	Domain	Description	Supported
character spacing	-1500 to 1500	sets the character spacing	WORD HTML PDF
character position	-1500 to 1500	sets the character position	WORD HTML PDF
character kerning	8 to 72	sets the character kerning	WORD
character scale	33 to 200	sets the character scale	WORD HTML PDF
Effects			
Property	Domain	Description	Supported
superscript	true, false	sets the superscript effect	WORD HTML PDF
subscript	true, false	sets the subscript effect	WORD HTML PDF
shadow	true, false	sets the shadow effect	WORD
outline	true, false	sets the outline effect	WORD
emboss	true, false	sets the emboss effect	WORD
engrave	true, false	sets the engrave effect	WORD
small caps	true, false	sets the small caps effect	WORD HTML PDF
hidden	true, false	if true, current object shall not be visible in the output	WORD HTML PDF
all caps	true, false	sets the "all caps" effect	WORD HTML PDF
Line			
Property	Domain	Description	Supported
underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the underline	WORD

underline color	00000 to FFFFFFF	sets the underline color	WORD
overline	true, false	sets the overline	HTML PDF
strikethrough	true, false, double	sets the strikethrough	WORD
Border			
Property	Domain	Description	Supported
Border margin			
Property	Domain	Description	Supported
all borders margin	0 to 1500	sets the distance between all current's object borders and surrounding objects	HTML
top border margin	0 to 1500	sets the distance between top current's object border and top objects	HTML
right border margin	0 to 1000	sets the distance between right current's object border and right objects	HTML
bottom border margin	0 to 1500	sets the distance between bottom current's object border and bottom objects	HTML
left border margin	0 to 1000	sets the distance between left current's object border and left objects	HTML
Border color			
Property	Domain	Description	Supported
all borders color	000000 to FFFFFFFF	sets the color for each border	HTML
top border color	000000 to FFFFFFFF	sets the top border color	HTML
right border color	000000 to FFFFFFFF	sets the right border color	HTML
bottom border color	000000 to FFFFFFFF	sets the bottom border color	HTML
left border color	000000 to FFFFFFFF	sets the left border color	HTML
Border width			
Property	Domain	Description	Supported
all borders width	1 to infinite	sets the width of each border 1 to 30 is recommended	HTML
top border width	1 to infinite	sets the top border width 1 to 30 is recommended	HTML

right border width	1 to infinite	sets the right border width 1 to 30 is recommended	HTML
bottom border width	1 to infinite	sets the bottom border width 1 to 30 is recommended	HTML
left border width	1 to infinite	sets the left border width 1 to 30 is recommended	HTML
Border style			
Property	Domain	Description	Supported
all borders style	single, dotted, dashed, outset, inset, double, none	sets the style of each border	HTML
top border style	single, dotted, dashed, outset, inset, double, none	sets the style for the top border	HTML
right border style	single, dotted, dashed, outset, inset, double, none	sets the style for the right border	HTML
bottom border style	single, dotted, dashed, outset, inset, double, none	sets the style for the bottom border	HTML
left border style	single, dotted, dashed, outset, inset, double, none	sets the style for the left border	HTML
Color			
Property	Domain	Description	Supported
text background color	000000 to FFFFFFFF	sets the background color for current text	HTML
Paragraph			
Common			
Property	Domain	Description	Supported
style name	desired inherited style name	applies style's properties to the current object	WORD HTML PDF
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF

target region	desired region name	current object shall be write in the specified region	WORD HTML PDF
Font			
Property	Domain	Description	Supported
font color	000000 to FFFFFFFF	sets the font color	WORD HTML PDF
font size	1 to 1600	sets the font size	WORD HTML PDF
font family	font names that are available within current system fonts	sets the font family	WORD HTML PDF
bold	true, false	sets the bold	WORD HTML PDF
italic	true, false	sets the italic	WORD HTML PDF
Character			
Property	Domain	Description	Supported
character spacing	-1500 to 1500	sets the character spacing	WORD HTML PDF
character position	-1500 to 1500	sets the character position	WORD HTML PDF
character kerning	8 to 72	sets the character kerning	WORD
character scale	33 to 200	sets the character scale	WORD HTML
Effects			
Property	Domain	Description	Supported
superscript	true, false	sets the superscript effect	WORD HTML PDF
subscript	true, false	sets the subscript effect	WORD HTML PDF
shadow	true, false	sets the shadow effect	WORD
outline	true, false	sets the outline effect	WORD
emboss	true, false	sets the emboss effect	WORD
engrave	true, false	sets the engrave effect	WORD
small caps	true, false	sets the small caps effect	WORD HTML PDF
hidden	true, false	if true, current object shall not be visible in the output	WORD HTML PDF
all caps	true, false	sets the all caps effect	WORD HTML PDF
Line			
Property	Domain	Description	Supported

underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the underline	WORD
underline color	000000 to FFFFFFFF	sets the underline color	WORD
overline	true, false	sets the overline	HTML
strikethrough	true, false, double	sets the strikethrough	WORD
Border			
Property	Domain	Description	Supported
Border margin			
Property	Domain	Description	Supported
all borders margin	0 to 1500	sets the distance between all current's object borders and surrounding objects	WORD HTML PDF
top border margin	0 to 1500	sets the distance between top current's object border and top objects	WORD HTML PDF
right border margin	0 to 1000	sets the distance between right current's object border and right objects	WORD HTML PDF
bottom border margin	0 to 1500	sets the distance between bottom current's object border and bottom objects	WORD HTML PDF
left border margin	0 to 1000	sets the distance between left current's object border and left objects	WORD HTML PDF
Border color			
Property	Domain	Description	Supported
all borders color	000000 to FFFFFFFF	sets the color for each border	WORD HTML PDF
top border color	000000 to FFFFFFFF	sets the top border color	WORD HTML PDF
right border color	000000 to FFFFFFFF	sets the right border color	WORD HTML PDF
bottom border color	000000 to FFFFFFFF	sets the bottom border color	WORD HTML PDF

left border color	000000 to FFFFFFFF	sets the left border color	WORD HTML PDF
Border width			
Property	Domain	Description	Supported
all borders width	1 to infinite	sets the width of each border	
top border width	1 to infinite	sets the top border width	WORD HTML PDF
right border width	1 to infinite	sets the right border width	WORD HTML PDF
bottom border width	1 to infinite	sets the bottom border width	WORD HTML PDF
left border width	1 to infinite	sets the left border width	WORD HTML PDF
Border style			
Property	Domain	Description	Supported
all borders style	dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style of each border	
top border style	dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style for the top border	WORD HTML PDF
right border style	dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style for the right border	WORD HTML PDF
bottom border style	dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style for the bottom border	WORD HTML PDF
left border style	dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style for the left border	WORD HTML PDF
Padding			
Property	Domain	Description	Supported

all paragraph paddings	0 to 31	sets the paragraph's paddings values	
top paragraph padding	0 to 31	sets the paragraph's top padding	WORD HTML
left paragraph padding	0 to 31	sets the paragraph's left padding	WORD HTML
right paragraph padding	0 to 31	sets the paragraph's right padding	WORD HTML
bottom paragraph padding	0 to 31	sets the paragraph's bottom padding	WORD HTML
Color			
Property	Domain	Description	Supported
paragraph background color	000000 to FFFFFFFF	sets the paragraph's background color	WORD HTML PDF
paragraph foreground color	000000 to FFFFFFFF	sets the paragraph's background color	WORD
paragraph foreground density	1 to 100	sets the paragraph's foreground color	WORD
Arrangement			
Property	Domain	Description	Supported
paragraph alignment	right, center, left, distributed, justify	sets the paragraph's alignment	WORD HTML PDF
Indentation			
Property	Domain	Description	Supported
first line indent	0 to 1500	sets the paragraph's first line indent	WORD HTML PDF
hanging indent	0 to 1500	sets the paragraph's hanging indent	WORD HTML PDF
left indent	0 to 1500	sets the paragraph's left indent	WORD HTML PDF
right indent	0 to 1500	sets the paragraph's right indent	WORD HTML PDF
Pagination			
Property	Domain	Description	Supported
widow/orphan control	true, false	sets the paragraph's widow/orphan control	WORD

keep lines together	true, false	prevents from splitting up the lines of a paragraph between two pages	WORD
keep with next	true, false	keeps both the selected paragraph(s) and the one that follows it on the same page	WORD
page break before	true, false	sets the selected paragraph(s) to start at the top of a new page	WORD HTML PDF
Exceptions			
Property	Domain	Description	Supported
suppress line numbers	true, false	forces the output to not include line numbers	
hyphenate	true, false		
Spacing			
Property	Domain	Description	Supported
before spacing	1 to 1500	sets the space value before current object	WORD HTML PDF
after spacing	1 to 1500	sets the space value after current object	WORD HTML PDF
multiple line spacing	0.5 to 132	sets the multiplier for the default line spacing value Note 1: 1 to 10 is recommended Note 2: subunit values are not rendered on pdf output	WORD HTML PDF
word spacing	1 to 300	sets the space between adjacent words	HTML PDF
same style paragraph spacing	true, false	when true, "before spacing" and "after spacing" will be ignored between the paragraphs of the same style.	WORD
Level			
Property	Domain	Description	Supported
level number	1 to 9	sets the paragraph hierarchical level in the document	WORD HTML PDF
level indent	1 to 200	sets the specified level indent	WORD PDF
Numbering			
Property	Domain	Description	Supported
Numbering common			
Property	Domain	Description	Supported

numbering style	none, bullet, uppercase alpha, lowercase alpha, uppercase roman, lowercase roman	sets the numbering style the numbering for the levels greater than 1 is different on every output, considering the superior level	WORD HTML
numbering alignment	center, left, right	sets the numbering alignment	
numbering indent	0 to infinite	sets the numbering indent	
bullet code		sets the numbering bullet code	
Numbering font			
Property	Domain	Description	Supported
numbering font color	000000 to FFFFFFFF	sets the numbering font color	WORD PDF
numbering font size	1 to 1600	sets the numbering font size	WORD
numbering font family	font names that are available within current system fonts	sets the numbering font family	WORD
numbering bold	true, false	sets the numbering bold	WORD
numbering italic	true, false	sets the numbering italic	WORD
Numbering character			
Property	Domain	Description	Supported
numbering character spacing	-1500 to 1500	sets the numbering character spacing	WORD PDF
numbering character position	-1500 to 1500	sets the numbering character position	WORD PDF
numbering character kerning	8 to 72	sets the numbering character kerning	WORD
numbering character scale	33 to 200	sets the numbering character scale	WORD
Numbering effects			
Property	Domain	Description	Supported
numbering superscript	true, false	sets the numbering superscript	WORD
numbering subscript	true, false	sets the numbering subscript	WORD

numbering shadow	true, false	sets the numbering shadow	WORD
numbering outline	true, false	sets the numbering outline	WORD
numbering emboss	true, false	sets the numbering emboss	WORD
numbering engrave	true, false	sets the numbering engrave	WORD
numbering small caps	true, false	sets the numbering small caps	WORD
numbering hidden	true, false	sets the numbering hidden	WORD
numbering all caps	true, false	sets the numbering all caps	WORD
Numbering line			
Property	Domain	Description	Supported
numbering underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the numbering underline	WORD
numbering underline color	000000 to FFFFFFFF	sets the numbering underline color	WORD
numbering overline	true, false	sets the numbering overline	WORD
numbering strikethrough	true, false	sets the numbering strikethrough	WORD
Table			
Common			
Property	Domain	Description	Supported
style name	desired inherited style name	applies style's properties to the current object	WORD HTML PDF
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF

force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF
Specific			
Property	Domain	Description	Supported
table auto fit	auto fit to contents, auto fit to window, fixed column width	resizes the table considering the page size or the table content auto fit to contents is default on html and word, auto fit to window is default on PDF	
cell spacing	0.00 to 190.00	distance between cells 0.3 to 10.00 is recommended	WORD HTML
cell alignment	left, center, right, justify, distributed	default text alignment within cells	HTML PDF
Positioning			
Property	Domain	Description	Supported
table alignment	left, center, right	sets the table alignment	WORD HTML
table indent	0 to 500	left indentation	WORD HTML
Font			
Property	Domain	Description	Supported
font color	000000 to FFFFFFFF	sets the font color	WORD HTML PDF
font size	1 to 1600	sets the font size	WORD HTML PDF
font family	font names that are available within current system fonts	sets the font family	WORD HTML PDF
bold	true, false	sets the bold	WORD HTML PDF
italic	true, false	sets the italic	WORD HTML PDF
Character			
Property	Domain	Description	Supported
character spacing	-1500 to 1500	sets the character spacing	WORD HTML PDF

character position	-1500 to 1500	sets the character position	WORD HTML PDF
character kerning	8 to 72	sets the character kerning	WORD
character scale	33 to 200	sets the character scale	WORD HTML
Effects			
Property	Domain	Description	Supported
superscript	true, false	sets the superscript effect	WORD HTML PDF
subscript	true, false	sets the subscript effect	WORD HTML PDF
shadow	true, false	sets the shadow effect	WORD
outline	true, false	sets the outline effect	WORD
emboss	true, false	sets the emboss effect	WORD
engrave	true, false	sets the engrave effect	WORD
small caps	true, false	sets the small caps effect	WORD HTML PDF
hidden	true, false	if true, current object shall not be visible in the output	WORD HTML PDF
all caps	true, false	sets the “all caps” effect	WORD HTML PDF
Line			
Property	Domain	Description	Supported
underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the underline	WORD HTML PDF
underline color	000000 to FFFFFFFF	sets the underline color	WORD HTML
overline	true, false	sets the overline	WORD HTML
strikethrough	true, false, double	sets the strikethrough	WORD HTML PDF
Border			
Property	Domain	Description	Supported
Border margin			

Property	Domain	Description	Supported
all borders margin	0 to 1500	sets the distance between borders and surrounding objects	HTML PDF
top border margin	0 to 1500	sets the distance between top current's object border and top objects 0 to 50 is recommended	HTML PDF
right border margin	0 to 1000	sets the distance between right current's object border and right objects 0 to 50 is recommended	HTML
bottom border margin	0 to 1500	sets the distance between bottom current's object border and bottom objects 0 to 50 is recommended	HTML PDF
left border margin	0 to 1000	sets the distance between left current's object border and left objects 0 to 50 is recommended	HTML
Border color			
Property	Domain	Description	Supported
all borders color	000000 to FFFFFFFF	sets the color for all borders	WORD HTML PDF
top border color	000000 to FFFFFFFF	sets the top border color	WORD HTML PDF
right border color	000000 to FFFFFFFF	sets the right border color	WORD HTML PDF
bottom border color	000000 to FFFFFFFF	sets the bottom border color	WORD HTML PDF
left border color	000000 to FFFFFFFF	sets the left border color	WORD HTML PDF
Border width			
Property	Domain	Description	Supported
all borders width	1 to infinite	sets the width for all borders	WORD HTML PDF
top border width	1 to infinite	sets the top border width 1 to 10 is recommended	HTML PDF
right border width	1 to infinite	sets the right border width 1 to 10 is recommended	HTML PDF
bottom border width	1 to infinite	sets the bottom border width 1 to 10 is recommended	HTML PDF

left border width	1 to infinite	sets the left border width 1 to 10 is recommended	HTML PDF
Border style			
Property	Domain	Description	Supported
all borders style	none, single, dotted, dashed, outset, inset, double, hairline, dash large gap, dot dash, dot dot dash, triple, thin thick small gap, thick thin small gap, thin thick thin small gap, thin thick medium gap, thick thin medium gap, thin thick thin medium gap, thin thick large gap, thick thin large gap, thin thick thin large gap, wave, double wave, dash small gap, dash dot stroker, emboss 3d, engrave 3d, outset, inset	sets the style for all borders	WORD HTML PDF
top border style	none, single, dotted, dashed, outset, inset, double, hairline, dash large gap, dot dash, dot dot dash, triple, thin thick small gap, thick thin small gap, thin thick thin small gap, thin thick medium gap, thick thin medium gap, thin thick thin medium gap, thin thick large gap, thick thin large gap, thin thick thin large gap, wave, double wave, dash small gap, dash dot stroker, emboss 3d, engrave 3d, outset, inset	sets the top border style	

right border style	none, single, dotted, dashed, outset, inset, double, hairline, dash large gap, dot dash, dot dot dash, triple, thin thick small gap, thick thin small gap, thin thick thin small gap, thin thick medium gap, thick thin medium gap, thin thick thin medium gap, thin thick large gap, thick thin large gap, thin thick thin large gap, wave, double wave, dash small gap, dash dot stroker, emboss 3d, engrave 3d, outset, inset	sets the right border style	
bottom border style	none, single, dotted, dashed, outset, inset, double, hairline, dash large gap, dot dash, dot dot dash, triple, thin thick small gap, thick thin small gap, thin thick medium gap, thick thin medium gap, thin thick thin medium gap, thin thick large gap, thick thin large gap, thin thick thin large gap, wave, double wave, dash small gap, dash dot stroker, emboss 3d, engrave 3d, outset, inset	sets the bottom border style	

left border style	none, single, dotted, dashed, outset, inset, double, hairline, dash large gap, dot dash, dot dot dash, triple, thin thick small gap, thick thin small gap, thin thick medium gap, thick thin medium gap, thin thick thin medium gap, thin thick large gap, thick thin large gap, thin thick thin large gap, wave, double wave, dash small gap, dash dot stoker, emboss 3d, engrave 3d, outset, inset	sets the left border style	
Cell text padding			
Property	Domain	Description	Supported
all cell text paddings	0 to infinite	sets the distances between cell content and cell borders	
cell text top padding	0 to infinite	sets the distance between cell content and top cell border	WORD HTML PDF
cell text right padding	0 to infinite	sets the distance between cell content and right cell border	WORD HTML PDF
cell text bottom padding	0 to infinite	sets the distance between cell content and bottom cell border	WORD HTML PDF
cell text left padding	0 to infinite	sets the distance between cell content and left cell border	WORD HTML PDF
Cell border			
Same properties and values as for the Cell element. When set for a table the border properties apply to all cells that do not override the settings.			
Color			
Property	Domain	Description	Supported
table background color	000000 to FFFFFFFF	sets the table background color	HTML PDF
table foreground color	000000 to FFFFFFFF	sets the table foreground color	

table foreground density	1 to 100	sets the table foreground density	
Row			
Common			
Property	Domain	Description	Supported
style name	desired inherited style name	applies style's properties to the current object	WORD HTML PDF
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF
Specific			
Property	Domain	Description	Supported
row index	1 to infinite	this is used in defining styles; it shall be completed	WORD HTML PDF
row break across pages	true, false	specifies if the text within a row can be split across pages	WORD PDF
Once per table	true, false	when two or more occurrences of the same table element from the template are rendered one after another, with no other element in-between, the rows marked as "once per table" from the 2nd (and higher) table occurrence will not be rendered.	WORD HTML PDF
row repeat at page beginning	true, false	repeats the current row at every page beginning, if the property value is true	
Size			
Property	Domain	Description	Supported
row height	0 to 1500	forces the row height 30 to 200 is recommended PDF, Html: the minimum row height is equal by default with the maximum text height in it	WORD HTML

row height specifier	auto, exactly, at least	specifies the way of handling row height property	WORD
Font			
Property	Domain	Description	Supported
font color	000000 to FFFFFFFF	sets the font color	HTML PDF
font size	1 to 1600	sets the font size	HTML PDF
font family	font names that are available within current system fonts	sets the font family	HTML PDF
bold	true, false	sets the bold	HTML PDF
italic	true, false	sets the italic	HTML PDF
Character			
Property	Domain	Description	Supported
character spacing	-1500 to 1500	sets the character spacing	HTML PDF
character position	-1500 to 1500	sets the character position	HTML PDF
character kerning	8 to 72	sets the character kerning	
character scale	33 to 200	sets the character scale	HTML
Effects			
Property	Domain	Description	Supported
superscript	true, false	sets the superscript effect	HTML PDF
subscript	true, false	sets the subscript effect	HTML PDF
shadow	true, false	sets the shadow effect	
outline	true, false	sets the outline effect	HTML
emboss	true, false	sets the emboss effect	
engrave	true, false	sets the engrave effect	
small caps	true, false	sets the small caps effect	HTML PDF
hidden	true, false	if true, current object shall not be visible in the output	HTML PDF
all caps	true, false	sets the "all caps" effect	HTML PDF
Line			
Property	Domain	Description	Supported

underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the underline	HTML PDF
underline color	000000 to FFFFFFFF	sets the underline color	
overline	true, false	sets the overline	HTML PDF
strikethrough	true, false, double	sets the strikethrough	
Cell			
Common			
Property	Domain	Description	Supported
style name	desired inherited style name	applies style's properties to the current object	WORD HTML PDF
Specific			
Property	Domain	Description	Supported
cell index	1 to infinite	the parameter is used for styles, to specify the target cell	
cell alignment	left, center, right	sets the text alignment within cell	WORD HTML
cell width	1 to infinite	sets the cell width	WORD HTML PDF
row span	2 to infinite	sets the row span	WORD HTML PDF
col span	2 to infinite	sets the column span	WORD HTML PDF
Font			
Property	Domain	Description	Supported
font color	000000 to FFFFFFFF	sets the font color	HTML PDF
font size	1 to 1600	sets the font size	HTML PDF
font family	font names that are available within current system fonts	sets the font family	HTML PDF
bold	true, false	sets the bold	HTML PDF
italic	true, false	sets the italic	HTML PDF
Character			
Property	Domain	Description	Supported

character spacing	-1500 to 1500	sets the character spacing	HTML PDF
character position	-1500 to 1500	sets the character position	HTML PDF
character kerning	8 to 72	sets the character kerning	
character scale	33 to 200	sets the character scale	HTML
Effects			
Property	Domain	Description	Supported
superscript	true, false	sets the superscript effect	HTML PDF
subscript	true, false	sets the subscript effect	HTML PDF
shadow	true, false	sets the shadow effect	
outline	true, false	sets the outline effect	HTML
emboss	true, false	sets the emboss effect	
engrave	true, false	sets the engrave effect	
small caps	true, false	sets the small caps effect	HTML PDF
hidden	true, false	if true, current object shall not be visible	HTML PDF
all caps	true, false	sets the "all caps" effect	HTML PDF
Line			
Property	Domain	Description	Supported
underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the underline	HTML PDF
underline color	000000 to FFFFFFFF	sets the underline color	
overline	true, false	sets the overline	HTML
strikethrough	true, false, double	sets the strikethrough	
Border			
Property	Domain	Description	Supported
Border color			
Property	Domain	Description	Supported
all borders color	000000 to FFFFFFFF	sets the color for each border	WORD HTML PDF

top border color	000000 to FFFFFFFF	sets the top border color	WORD HTML PDF
right border color	000000 to FFFFFFFF	sets the right border color	WORD HTML PDF
bottom border color	000000 to FFFFFFFF	sets the bottom border color	WORD HTML PDF
left border color	000000 to FFFFFFFF	sets the left border color	WORD HTML PDF
Border width			
Property	Domain	Description	Supported
all borders width	1 to 31	sets the width of each border	WORD HTML PDF
top border width	1 to 31	sets the top border width	WORD HTML PDF
right border width	1 to 31	sets the right border width	WORD HTML PDF
bottom border width	1 to 31	sets the bottom border width	WORD HTML PDF
left border width	1 to 31	sets the left border width	WORD HTML PDF
Border style			
Property	Domain	Description	Supported
all borders style	none, single, dotted, dashed, outset, inset, double, hairline, dash large gap, dot dash, dot dot dash, triple, thin thick small gap, thick thin small gap, thin thick medium gap, thick thin medium gap, thin thick thin medium gap, thin thick large gap, thick thin large gap, thin thick thin large gap, wave, double wave, dash small gap, dash dot stroke, emboss 3d, engrave 3d, outset, inset	sets the style of each border	

top border style	none, single, dotted, dashed, outset, inset, double, hairline, dash large gap, dot dash, dot dot dash, triple, thin thick small gap, thick thin small gap, thin thick thin small gap, thin thick medium gap, thick thin medium gap, thin thick thin medium gap, thin thick large gap, thick thin large gap, thin thick thin large gap, wave, double wave, dash small gap, dash dot stroke, emboss 3d, engrave 3d, outset, inset	sets the style for the top border	
right border style	none, single, dotted, dashed, outset, inset, double, hairline, dash large gap, dot dash, dot dot dash, triple, thin thick small gap, thick thin small gap, thin thick medium gap, thick thin medium gap, thin thick thin medium gap, thin thick large gap, thick thin large gap, thin thick thin large gap, wave, double wave, dash small gap, dash dot stroke, emboss 3d, engrave 3d, outset, inset	sets the style for the right border	

bottom border style	none, single, dotted, dashed, outset, inset, double, hairline, dash large gap, dot dash, dot dot dash, triple, thin thick small gap, thick thin small gap, thin thick thin small gap, thin thick medium gap, thick thin medium gap, thin thick thin medium gap, thin thick large gap, thick thin large gap, thin thick thin large gap, wave, double wave, dash small gap, dash dot stroke, emboss 3d, engrave 3d, outset, inset	sets the style for the bottom border	
left border style	none, single, dotted, dashed, outset, inset, double, hairline, dash large gap, dot dash, dot dot dash, triple, thin thick small gap, thick thin small gap, thin thick medium gap, thick thin medium gap, thin thick thin medium gap, thin thick large gap, thick thin large gap, thin thick thin large gap, wave, double wave, dash small gap, dash dot stroke, emboss 3d, engrave 3d, outset, inset	sets the style for the left border	
Cell text padding			
Property	Domain	Description	Supported
all cell text paddings	0 to infinite	sets the distance between cell content and cell borders	WORD HTML PDF
cell text top padding	0 to infinite	sets the distance between cell content and top cell borders	WORD HTML PDF

cell text right padding	0 to infinite	sets the distance between cell content and right cell borders	WORD HTML PDF
cell text bottom padding	0 to infinite	sets the distance between cell content and bottom cell borders	WORD HTML PDF
cell text left padding	0 to infinite	sets the distance between cell content and left cell borders	WORD HTML PDF
Color			
Property	Domain	Description	Supported
cell background color	000000 to FFFFFFFF	sets the cell background color	WORD HTML PDF
cell foreground color	000000 to FFFFFFFF	sets the cell foreground color	WORD
cell foreground density	1 to 100	sets the cell foreground density	WORD
Image			
Common			
Property	Domain	Description	Supported
style name	desired inherited style name	applies style's properties to the current object	WORD HTML PDF
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF
Specific			
Property	Domain	Description	Supported
image alignment	left, center, right	sets the image alignment	WORD HTML PDF
image indent	0 to infinite	sets the indent alignment	WORD HTML PDF
image text wrapping	top and bottom, square		
image wrap side	both sides, left only, right only		

Border			
Property	Domain	Description	Supported
Border margin			
Property	Domain	Description	Supported
all borders margin	0 to 1500	sets the distance between all current's object borders and surrounding objects	
top border margin	0 to 1500	sets the distance between top current's object border and top objects	
right border margin	0 to 1000	sets the distance between right current's object border and right objects	
bottom border margin	0 to 1500	sets the distance between bottom current's object border and bottom objects	
left border margin	0 to 1000	sets the distance between left current's object border and left objects	
Border color			
Property	Domain	Description	Supported
all borders color	000000 to FFFFFFFF	sets the color for each border	HTML
top border color	000000 to FFFFFFFF	sets the top border color	HTML
right border color	000000 to FFFFFFFF	sets the right border color	HTML
bottom border color	000000 to FFFFFFFF	sets the bottom border color	HTML
left border color	000000 to FFFFFFFF	sets the left border color	HTML
Border width			
Property	Domain	Description	Supported
all borders width	1 to infinite	sets the width of each border	HTML
top border width	1 to infinite	sets the top border width	HTML
right border width	1 to infinite	sets the right border width	HTML
bottom border width	1 to infinite	sets the bottom border width	HTML
left border width	1 to infinite	sets the left border width	HTML

Border style			
Property	Domain	Description	Supported
all borders styles	single, dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style of each border	HTML
top border style	single, dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style for the top border	HTML
right border style	single, dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style for the right border	HTML
bottom border style	single, dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style for the bottom border	HTML
left border style	single, dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style for the left border	HTML
Crop			
Property	Domain	Description	Supported
all image crops	1 to infinite	sets the crop values for the entire image	
top image crop	1 to infinite	sets the crop value for top	
left image crop	1 to infinite	sets the crop value for left	
right image crop	1 to infinite	sets the crop value for right	
bottom image crop	1 to infinite	sets the crop value for bottom	
Resize			
Property	Domain	Description	Supported

image constrain proportions	true, false	specifies if the altering of an image dimensions shall modify the other accordingly	
Size			
Property	Domain	Description	Supported
image width	1 to infinite	forces the image's width PDF: images that overlap page margins are automatically resized to fit the page	WORD HTML PDF
image height	1 to infinite	forces the image's width PDF: images that overlap page margins are automatically resized to fit the page	WORD HTML PDF
image max width	1 to infinite	sets the image maximum width limitation PDF: images that overlap page margins are automatically resized to fit the page	WORD HTML PDF
image max height	1 to infinite	sets the image maximum height limitation PDF: images that overlap page margins are automatically resized to fit the page	WORD HTML PDF
image min width	1 to infinite	sets the image minimum width limitation PDF: images that overlap page margins are automatically resized to fit the page	
image min height	1 to infinite	sets the image minimum width limitation PDF: images that overlap page margins are automatically resized to fit the page	
List			
Common			
Property	Domain	Description	Supported
style name	desired inherited style name	applies style's properties to the current object	WORD HTML PDF
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF

force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF
Specific			
Property	Domain	Description	Supported
list indent	0 to infinite	sets the list indent	WORD
Numbering			
Property	Domain	Description	Supported
Numbering common			
Property	Domain	Description	Supported
numbering style	none, bullet, uppercase alpha, lowercase alpha, uppercase roman, lowercase roman	sets the numbering style	WORD
numbering alignment	left, center, right	sets the numbering alignment	WORD
numbering indent	0 to infinite	sets the numbering indent	WORD
Numbering font			
Property	Domain	Description	Supported
numbering font color	000000 to FFFFFFFF	sets the numbering font color	WORD PDF
numbering font size	1 to 1600	sets the font size	WORD
numbering font family	font names that are available within current system fonts	sets the font family	WORD PDF
numbering bold	true, false	sets the numbering bold	WORD
numbering italic	true, false	sets the numbering italic	WORD
Numbering character			
Property	Domain	Description	Supported
numbering character spacing	-1500 to 1500	sets the numbering character spacing	WORD
numbering character position	-1500 to 1500	sets the numbering character position	WORD

numbering character kerning	8 to 72	sets the numbering character kerning	WORD
numbering character scale	33 to 200	sets the numbering character scale	WORD
Numbering effects			
Property	Domain	Description	Supported
numbering superscript	true, false	sets the numbering superscript	WORD
numbering subscript	true, false	sets the numbering subscript	WORD
numbering shadow	true, false	sets the numbering shadow	WORD
numbering outline	true, false	sets the numbering outline	
numbering emboss	true, false	sets the numbering emboss	WORD
numbering engrave	true, false	sets the numbering engrave	WORD
numbering small caps	true, false	sets the numbering small caps	WORD
numbering hidden	true, false	sets the numbering hidden	WORD
numbering all caps	true, false	sets the numbering all caps	WORD
Numbering line			
Property	Domain	Description	Supported
numbering underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the underline	WORD
numbering underline color	000000 to FFFFFFFF	sets the underline color	WORD
numbering overline	true, false	sets the overline	WORD

numbering strikethrough	true, false, double	sets the strikethrough	WORD
List detail			
Common			
Property	Domain	Description	Supported
style name	desired inherited style name	applies style's properties to the current object	WORD HTML PDF
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF
Font			
Property	Domain	Description	Supported
font color	000000 to FFFFFFFF	sets the font color	WORD HTML PDF
font size	1 to 1600	sets the font size	WORD HTML PDF
font family	font names that are available within current system fonts	sets the font family	WORD HTML PDF
bold	true, false	sets the bold	WORD HTML PDF
italic	true, false	sets the italic	WORD HTML PDF
Character			
Property	Domain	Description	Supported
character spacing	-1500 to 1500	sets the character spacing	WORD HTML PDF
character position	-1500 to 1500	sets the character position	WORD HTML PDF
character kerning	8 to 72	sets the character kerning	WORD
character scale	33 to 200	sets the character scale	WORD
Effects			
Property	Domain	Description	Supported

superscript	true, false	sets the superscript effect	WORD HTML PDF
subscript	true, false	sets the subscript effect	WORD HTML PDF
shadow	true, false	sets the shadow effect	WORD
outline	true, false	sets the outline effect	WORD
emboss	true, false	sets the emboss effect	WORD
engrave	true, false	sets the engrave effect	WORD
small caps	true, false	sets the small caps effect	WORD HTML PDF
hidden	true, false	if true, current object shall not be visible in the output	WORD HTML PDF
all caps	true, false	sets the "all caps" effect	WORD HTML PDF
Line			
Property	Domain	Description	Supported
underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the underline	WORD HTML PDF
underline color	000000 to FFFFFFFF	sets the underline color	WORD
overline	true, false	sets the overline	WORD HTML PDF
strikethrough	true, false, double	sets the strikethrough	WORD
Border			
Property	Domain	Description	Supported
Border margin			
Property	Domain	Description	Supported
all borders margin	0 to 1500	sets the distance between all current's object borders and surrounding objects	WORD HTML PDF
top border margin	0 to 1500	sets the distance between top current's object border and top objects	WORD HTML PDF

right border margin	0 to 1000	sets the distance between right current's object border and right objects	WORD HTML PDF
bottom border margin	0 to 1500	sets the distance between bottom current's object border and bottom objects	WORD HTML PDF
left border margin	0 to 1000	sets the distance between left current's object border and left objects	WORD HTML PDF
Border color			
Property	Domain	Description	Supported
all borders color	000000 to FFFFFFFF	sets the color for each border	WORD HTML PDF
top border color	000000 to FFFFFFFF	sets the top border color	WORD HTML PDF
right border color	000000 to FFFFFFFF	sets the right border color	WORD HTML PDF
bottom border color	000000 to FFFFFFFF	sets the bottom border color	WORD HTML PDF
left border color	000000 to FFFFFFFF	sets the left border color	WORD HTML PDF
Border width			
Property	Domain	Description	Supported
all borders width	1 to infinite	sets the width of each border	HTML PDF
top border width	1 to infinite	sets the top border width	HTML PDF
right border width	1 to infinite	sets the right border width	HTML PDF
bottom border width	1 to infinite	sets the bottom border width	HTML PDF
left border width	1 to infinite	sets the left border width	HTML PDF
Border style			
Property	Domain	Description	Supported
all borders style	dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style of each border	WORD HTML PDF

top border style	dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style for the top border	WORD HTML PDF
right border style	dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style for the right border	WORD HTML PDF
bottom border style	dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style for the bottom border	WORD HTML PDF
left border style	dotted, ridge, groove, double, dot dash, nil, single, double, dot dot dash, triple, wave, outset, inset	sets the style for the left border	WORD HTML PDF
Padding			
Property	Domain	Description	Supported
all paragraph paddings	0 to infinite	sets the paragraph's paddings values	HTML
top paragraph padding	0 to infinite	sets the paragraph's top padding	HTML
left paragraph padding	0 to infinite	sets the paragraph's left padding	HTML
right paragraph padding	0 to infinite	sets the paragraph's right padding	HTML
bottom paragraph padding	0 to infinite	sets the paragraph's bottom padding	HTML
Footnote			
Common			
Property	Domain	Description	Supported
style name	desired inherited style name	applies style's properties to the current object	WORD
Specific			
Property	Domain	Description	Supported
footnote type	footnote, endnote	sets the footnote type	WORD
Font			

Property	Domain	Description	Supported
font color	000000 to FFFFFFFF	sets the font color	WORD
font size	1 to 1600	sets the font size	WORD
font family	font names that are available within current system fonts	sets the font family	WORD
bold	true, false	sets the bold	WORD
italic	true, false	sets the italic	WORD
Character			
Property	Domain	Description	Supported
character spacing	-1500 to 1500	sets the character spacing	WORD
character position	-1500 to 1500	sets the character position	WORD
character kerning	8 to 72	sets the character kerning	WORD
character scale	33 to 200	sets the character scale	WORD
Effects			
Property	Domain	Description	Supported
superscript	true, false	sets the superscript effect	WORD
subscript	true, false	sets the subscript effect	WORD
shadow	true, false	sets the shadow effect	WORD
outline	true, false	sets the outline effect	WORD
emboss	true, false	sets the emboss effect	WORD
engrave	true, false	sets the engrave effect	WORD
small caps	true, false	sets the small caps effect	WORD
hidden	true, false	if true, current object shall not be in the output	WORD
all caps	true, false	sets the all caps effect	WORD
Line			
Property	Domain	Description	Supported
underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the underline	WORD

underline color	000000 to FFFFFFFF	sets the underline color	WORD
overline	true, false	sets the overline	WORD
strikethrough	true, false, double	sets the strikethrough	WORD
Comment			
Common			
Property	Domain	Description	Supported
style name	desired inherited style name	applies style's properties to the current object	WORD PDF
Font			
Property	Domain	Description	Supported
font color	000000 to FFFFFFFF	sets the font color	WORD PDF
font size	1 to 1600	sets the font size	PDF
font family	font names that are available within current system fonts	sets the font family	WORD PDF
bold	true, false	sets the bold	WORD PDF
italic	true, false	sets the italic	WORD PDF
Character			
Property	Domain	Description	Supported
character spacing	-1500 to 1500	sets the character spacing	WORD PDF
character position	-1500 to 1500	sets the character position	WORD PDF
character kerning	8 to 72	sets the character kerning	WORD
character scale	33 to 200	sets the character scale	WORD
Effects			
Property	Domain	Description	Supported
superscript	true, false	sets the superscript effect	WORD PDF
subscript	true, false	sets the subscript effect	WORD PDF
shadow	true, false	sets the shadow effect	WORD
outline	true, false	sets the outline effect	WORD
emboss	true, false	sets the emboss effect	WORD
engrave	true, false	sets the engrave effect	WORD
small caps	true, false	sets the small caps effect	WORD PDF
hidden	true, false	if true, current object shall not be visible	WORD PDF
all caps	true, false	sets the all caps effect	WORD PDF
Line			
Property	Domain	Description	Supported

underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the underline	WORD PDF
underline color	000000 to FFFFFFFF	sets the underline color	WORD
overline	true, false	sets the overline	WORD
strikethrough	true, false, double	sets the strikethrough	WORD
Hyperlink			
Common			
Property	Domain	Description	Supported
style name	desired inherited style name	applies style's properties to the current object	WORD HTML PDF
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF
Specific			
Property	Domain	Description	Supported
internal	true, false	specifies if current hyperlink targets an internal bookmark or external file or web URL	WORD HTML PDF
display	name to be displayed	sets the string that shall be visible in the output at the hyperlink position	WORD HTML PDF
Font			
Property	Domain	Description	Supported
font color	000000 to FFFFFFFF	sets the font color	WORD HTML PDF

font size	1 to 1600	sets the font size	WORD HTML PDF
font family	font names that are available within current system fonts	sets the font family	WORD HTML PDF
bold	true, false	sets the bold	WORD HTML PDF
italic	true, false	sets the italic	WORD HTML PDF
Character			
Property	Domain	Description	Supported
character spacing	-1500 to 1500	sets the character spacing	WORD HTML PDF
character position	-1500 to 1500	sets the character position	WORD HTML PDF
character kerning	8 to 72	sets the character kerning	WORD
character scale	33 to 200	sets the character scale	WORD HTML
Effects			
Property	Domain	Description	Supported
superscript	true, false	sets the superscript effect	WORD HTML PDF
subscript	true, false	sets the subscript effect	WORD HTML PDF
shadow	true, false	sets the shadow effect	WORD
outline	true, false	sets the outline effect	WORD
emboss	true, false	sets the emboss effect	WORD
engrave	true, false	sets the engrave effect	WORD
small caps	true, false	sets the small caps effect	WORD HTML
hidden	true, false	if true, current object shall not be visible in the output	WORD HTML PDF
all caps	true, false	sets the all caps effect	WORD HTML
Line			
Property	Domain	Description	Supported

underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the underline	WORD HTML PDF
underline color	000000 to FFFFFFFF	sets the underline color	WORD
overline	true, false	sets the overline	HTML
strikethrough	true, false, double	sets the strikethrough	WORD
Header			
Common			
Property	Domain	Description	Supported
style name	desired style name	applies style's properties to the current object	WORD HTML PDF
Specific			
Property	Domain	Description	Supported
header from top	1 to infinite	sets the distance between header and top page edge	WORD
Font			
Property	Domain	Description	Supported
font color	000000 to FFFFFFFF	sets the font color	WORD HTML PDF
font size	1 to 1600	sets the font size	WORD HTML PDF
font family	font names that are available within current system fonts	sets the font family	WORD HTML PDF
bold	true, false	sets the bold	WORD HTML PDF
italic	true, false	sets the italic	WORD HTML PDF
Character			
Property	Domain	Description	Supported
character spacing	-1500 to 1500	sets the character spacing	WORD HTML PDF
character position	-1500 to 1500	sets the character position	WORD HTML PDF

character kerning	8 to 72	sets the character kerning	WORD
character scale	33 to 200	sets the character scale	WORD HTML
Effects			
Property	Domain	Description	Supported
superscript	true, false	sets the superscript effect	WORD HTML PDF
subscript	true, false	sets the subscript effect	WORD HTML PDF
shadow	true, false	sets the shadow effect	WORD
outline	true, false	sets the outline effect	WORD
emboss	true, false	sets the emboss effect	WORD
engrave	true, false	sets the engrave effect	WORD
small caps	true, false	sets the small caps effect	WORD HTML PDF
hidden	true, false	if true, current object shall not be visible in the output	WORD HTML PDF
all caps	true, false	sets the "all caps" effect	WORD HTML PDF
Line			
Property	Domain	Description	Supported
underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the underline	WORD HTML PDF
underline color	000000 to FFFFFFFF	sets the underline color	WORD
overline	true, false	sets the overline	HTML
strikethrough	true, false, double	sets the strikethrough	WORD
Footer			
Common			
Property	Domain	Description	Supported
style name	desired style name	applies style's properties to the current object	WORD HTML PDF
Specific			

Property	Domain	Description	Supported
footer from bottom	1 to infinite	sets the distance between footer and page bottom	WORD
Font			
Property	Domain	Description	Supported
font color	000000 to FFFFFFFF	sets the font color	WORD HTML PDF
font size	1 to 1600	sets the font size	WORD HTML PDF
font family	font names that are available within current system fonts	sets the font family	WORD HTML PDF
bold	true, false	sets the bold	WORD HTML PDF
italic	true, false	sets the italic	WORD HTML PDF
Character			
Property	Domain	Description	Supported
character spacing	-1500 to 1500	sets the character spacing	WORD HTML PDF
character position	-1500 to 1500	sets the character position	WORD HTML PDF
character kerning	8 to 72	sets the character kerning	WORD
character scale	33 to 200	sets the character scale	WORD HTML
Effects			
Property	Domain	Description	Supported
superscript	true, false	sets the superscript effect	WORD HTML PDF
subscript	true, false	sets the subscript effect	WORD HTML PDF
shadow	true, false	sets the shadow effect	WORD
outline	true, false	sets the outline effect	WORD
emboss	true, false	sets the emboss effect	WORD
engrave	true, false	sets the engrave effect	WORD
small caps	true, false	sets the small caps effect	WORD HTML PDF
hidden	true, false	if true, current object shall not be visible in the output	WORD HTML PDF
all caps	true, false	sets the "all caps" effect	WORD HTML PDF
Line			

Property	Domain	Description	Supported
underline	true, false, single, words, double, dotted, thick, dash, dash long, dot dash, dot dot dash, wavy, dotted heavy, dash heavy, dash long heavy, dot dash heavy, dot dot dash heavy, wavy heavy, wavy double	sets the underline	WORD HTML PDF
underline color	000000 to FFFFFFFF	sets the underline color	WORD
overline	true, false	sets the overline	HTML
strikethrough	true, false, double	sets the strikethrough	WORD
Region			
<i>Specific</i>			
Property	Domain	Description	Supported
region name	desired region name	sets the region name : it must be unique	WORD HTML PDF
Table of contents			
<i>Common</i>			
Property	Domain	Description	Supported
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF
<i>Specific</i>			
Property	Domain	Description	Supported
toc code	custom toc code; can be empty	sets the toc code	WORD HTML PDF
<i>Toc item</i>			
Property	Domain	Description	Supported
level	1 to 9	sets the depth level of the table of contents	WORD HTML PDF

Table of tables			
Common			
Property	Domain	Description	Supported
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD
target region	desired target page name	current object shall be write in the specified region	WORD
Specific			
Property	Domain	Description	Supported
toc code	\h \z \c "Table", etc (user custom codes)	sets the toc code	WORD
Table of figures			
Common			
Property	Domain	Description	Supported
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD
target region	desired masterpage name	current object shall be write in the specified region	WORD
Specific			
Property	Domain	Description	Supported
toc code	\h \z \c "Figure", etc (user custom codes)	sets the toc code	WORD HTML PDF
Masterpage			
Common			
Property	Domain	Description	Supported
style name	desired inherited style name	applies style's properties to the current object	WORD HTML PDF
Specific			
Property	Domain	Description	Supported

page orientation	portrait, landscape	sets the page orientation for current section	WORD PDF
page vertical alignment	top, center, bottom	sets the vertical alignment of the page content within page	WORD
target page	odd, even	sets the target page	
Margin			
Property	Domain	Description	Supported
all page margin	0 to infinite	sets the page margin for all four margins	WORD PDF
top page margin	0 to infinite	sets the top page margin	WORD PDF
left page margin	0 to infinite	sets the left page margin	WORD PDF
right page margin	0 to infinite	sets the right page margin	WORD PDF
bottom page margin	0 to infinite	sets the bottom page margin	WORD PDF
gutter	0 to infinite	sets the page gutter	WORD
Page border			
Property	Domain	Description	Supported
Options			
Property	Domain	Description	Supported
border distance reference	text, page edge	sets the border distance reference	WORD
display in front	true, false	specifies if the border shall be always displayed in front	WORD
surround header	true, false	specifies if the border shall surround the header	WORD
surround footer	true, false	specifies if the border shall surround the footer	WORD
page borders apply option	all section pages, other section pages, first section page	specifies the pages where the border shall be applied	WORD
Margin			
Property	Domain	Description	Supported
all page borders margin	1 to infinite	sets the page border margin for all four borders	PDF
top page border margin	1 to infinite	sets the top page border margin	PDF
left page border margin	1 to infinite	sets the left page border margin	PDF

right page border margin	1 to infinite	sets the right page border margin	PDF
bottom page border margin	1 to infinite	sets the bottom page border margin	PDF
Color			
Property	Domain	Description	Supported
all page borders color	000000 to FFFFFFFF	sets the page border color for all four borders	WORD PDF
top page border color	000000 to FFFFFFFF	sets the top page border color	WORD PDF
right page border color	000000 to FFFFFFFF	sets the right page border color	WORD PDF
bottom page border color	000000 to FFFFFFFF	sets the bottom page border color	WORD PDF
left page border color	000000 to FFFFFFFF	sets the left page border color	WORD PDF
Style			
Property	Domain	Description	Supported
all page borders style	single, dotted, dashed, outset, inset, double, none	sets the page border style for all four borders	WORD
top page border style	single, dotted, dashed, outset, inset, double, none	sets the top page border style	WORD
right page border style	single, dotted, dashed, outset, inset, double, none	sets the right page border style	WORD
left page border style	single, dotted, dashed, outset, inset, double, none	sets the left page border style	WORD
bottom page border style	single, dotted, dashed, outset, inset, double, none	sets the bottom page border style	WORD
Width			
Property	Domain	Description	Supported
all page borders width	1 to infinite	sets the page border width for all four borders	PDF
top page border width	1 to infinite	sets the top page border width	PDF
left page border width	1 to infinite	sets the left page border width	PDF
right page border width	1 to infinite	sets the right page border width	PDF

bottom page border width	1 to infinite	sets the bottom page border width	PDF
Color			
Property	Domain	Description	Supported
page color	000000 to FFFFFFFF	sets the page color PDF: every section can have a different page color Html: whole document can have a single background color	HTML PDF
Size			
Property	Domain	Description	Supported
paper size	a0, a1, a2, a3, a4, a5, b4, b5, letter, ledger, legal, p11X17	sets the paper size type for current section default page type is A4 for PDF output, and for the word output it is the same as the one from system's Normal.dot file	WORD PDF
paper height	1 to infinite	sets the custom paper height for current section	WORD PDF
paper width	1 to infinite	sets the custom paper width for current section	WORD PDF
Field			
Common			
Property	Domain	Description	Supported
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF
Specific			
Property	Domain	Description	Supported
field type		specifies the field type	
field code	custom field code	specifies the field code	
Page number			
Common			
Property	Domain	Description	Supported
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF
Specific			
Property	Domain	Description	Supported
field type	page number	specifies the field type	WORD PDF
field code		specifies the field code	WORD PDF

page numbering style	bullet, arabic, uppercase roman, lowercase roman, uppercase letter, lowercase letter, ordinal, numbered, ordinal text, chicago manual, kanji, kanji digit, aiueo half width, kanji traditional, kanji traditional 2, number in circle, decimal full width, aiueo, iroha, leading zero, bullet, ganada, chosung, enclosed full stop, enclosed paranthesis, enclosed circle chinese, ideograph enclosed circle, ideograph traditional, ideograph zodiac, ideograph zodiac traditional, taiwanese counting, ideograph legal traditional, taiwanese counting thousand, taiwanese digital, chinese counting, chinese legal simplified, chinese counting thousand, chinese, korean digital, korean counting, korea legal, korea digital2, arabic alpha, hebrew 1	sets the page numbering style	WORD
page starting number	1 to infinite	sets the page starting number	
restart page numbering	true, false	specifies if the page numbering shall be restarted	
Figure caption			
Common			
Property	Domain	Description	Supported

target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF
Specific			
Property	Domain	Description	Supported
field code	SEQ Figure * ARABIC		WORD PDF
Table caption			
Common			
Property	Domain	Description	Supported
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF
Specific			
Property	Domain	Description	Supported
field code	SEQ Table * ARABIC * MERGEFORMAT	specifies the field code	WORD HTML PDF
Content			
Container			
Common			
Property	Domain	Description	Supported
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF
Bookmark			
Common			
Property	Domain	Description	Supported
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF

Page break			
Specific			
Property	Domain	Description	Supported
page break type	page, column	sets the page break type	WORD PDF
Section break			
Common			
Property	Domain	Description	Supported
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF
Specific			
Property	Domain	Description	Supported
section break type	new page, new column, continuous, odd page, even page	sets the section break type	WORD
Include			
Common			
Property	Domain	Description	Supported
masterpage	desired masterpage name	puts the current object on a page that has the specified masterpage	WORD HTML PDF
force page change	true, false	specifies if a new page shall be inserted if the current object has explicitly assigned the same masterpage as the previous object	WORD HTML PDF
target region	desired target region name	current object shall be write in the specified region	WORD HTML PDF

Appendix: Notices

This information was developed for products and services offered in the U.S.A. IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send written license inquiries to:

IBM Director of Licensing
IBM Corporation
North Castle Drive
Armonk, NY 10504-1785
U.S.A.

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send written inquiries to:

IBM World Trade Asia Corporation
Licensing
2-31 Roppongi 3-chome, Minato-ku
Tokyo 106-0032, Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions. Therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make

improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

Intellectual Property Dept. for Rational Software
IBM Corporation
1 Rogers Street
Cambridge, Massachusetts 02142
U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these

names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

If you are viewing this information softcopy, the photographs and color illustrations may not appear.

Trademarks

IBM, the IBM logo, ibm.com, Telelogic, and Telelogic DOORS are trademarks or registered trademarks of International Business Machines Corporation in the United States, other countries, or both. These and other IBM trademarked terms are marked on their first occurrence in this information with the appropriate symbol (® or ™), indicating US registered or common law trademarks owned by IBM at the time this information was published. Such trademarks may also be registered or common law trademarks in other countries. A current list of IBM trademarks is available on the Web at www.ibm.com/legal/copytrade.html.

Microsoft, Windows, Windows 2003, Windows XP, Windows Vista and/or other Microsoft products referenced herein are either trademarks or registered trademarks of Microsoft Corporation.

Java and all Java-based trademarks and logos are trademarks of Sun Microsystems, Inc. in the United States, other countries, or both.

Other company, product or service names may be trademarks or service marks of others.