

IBM Storage Host Attachment Kit for Windows
Version 2.8.1

Release Notes



First Edition (July 2017)

This document edition applies to version 2.8.1 of the IBM Storage Host Attachment Kit for Windows software package. Newer document editions may be issued for the same version in order to add missing information, update information, or amend typographical errors. The edition is reset to "First Edition" for every newly released version.

© Copyright IBM Corporation 2009, 2017.

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

Overview	1
What's new in version 2.8.1	1
Compatibility and requirements	1
Supported Windows Server versions	1
Supported storage systems	2
Supported HBAs	2
Supported multipath I/O solutions	2
Required software on the host	3
Change log	4
Version 2.8.1 (July 2017)	4
Version 2.8.0 (June 2017)	5
Version 2.7.0 (December 2016)	5
Version 2.6.0 (April 2016)	5
Version 2.5.0 (September 2015)	6
Version 2.4.0 (March 2015)	6
Version 2.3.0 (August 2014)	6
Limitations	7
Known issues	7
Known interoperability issues	9
Related information and publications	10
Getting information, help, and service	10
Notices	11
Trademarks	12

Overview

The IBM® Storage Host Attachment Kit (HAK) for Windows is a software pack that simplifies the task of connecting a Microsoft Windows Server host to the IBM storage systems.

The HAK provides a set of command-line interface (CLI) tools that help host administrators perform different host-side tasks, such as: detect any physically connected storage system (single system or multiple systems), detect storage volumes, define the host on the storage system, run diagnostics, and apply best practice native multipath connectivity configuration on the host.

You can download the IBM Storage Host Attachment Kit software package at any time from the IBM Fix Central website(www.ibm.com/support/fixcentral).

What's new in version 2.8.1

Version 2.8.1 is a Windows-only release. It adds KB3036614, as a required hotfix for Microsoft Windows Server 2012 hosts.

General availability date: 3 July 2017

Compatibility and requirements

The IBM Storage Host Attachment Kit for Windows is compatible with different versions of the Windows Server operating system and the storage system, as well as with different HBAs and multipath solutions.

Certain software packages, patches, or drivers must be installed on the host, as detailed in the following subsections.

Note: This section applies to version 2.8.1. For information about the compatibility and requirements of a previous Host Attachment Kit version, refer to its relevant release notes. In addition, the HAK lifecycle and support matrix (www.ibm.com/support/knowledgecenter/SSEPRF/landing/css_lifecycle_support_matrix_hak.html) details the HAK lifecycle with compatible storage system microcode versions and supported operating system releases.

Supported Windows Server versions

Version 2.8.1 of the IBM Storage Host Attachment Kit for Windows supports different Windows Server versions, service packs, or editions, as listed in the following table.

Operating system	Service Pack	Architecture
Microsoft Windows Server 2008	SP1, SP2	x86, x64
Microsoft Windows Server 2008 R2	None, SP1	x64
Microsoft Windows Server 2012	None	x64
Microsoft Windows Server 2012 R2	None	x64
Microsoft Windows Server 2016	None	x64

Important:

- It is strongly recommended to use the latest Windows Server release with all relevant updates, service packs and patches installed. See “Required software on the host” on page 3 for information about required OS updates.
 - See “Known interoperability issues” on page 9 for information about HyperSwap issues and limitations in the Windows Server 2008, 2008 R2, 2012 and 2012R2.
-

Supported storage systems

Version 2.8.1 of the IBM Storage Host Attachment Kit for Windows supports different microcode versions of the IBM storage systems, as listed in the following table.

Storage system	Microcode version
IBM XIV [®] Storage System	10.2.4.x
	11.1.x, 11.2.x, 11.3.x, 11.4.x, 11.5.x, 11.6.x
IBM Spectrum Accelerate [™]	11.5.x
IBM FlashSystem [®] A9000	12.0.x, 12.1.x
IBM FlashSystem A9000R	12.0.x, 12.1.x

Note: Newer microcode versions may also be compatible. When a newer microcode version becomes available, refer to the latest storage system release notes to check whether the new microcode version is also supported. In addition, the HAK lifecycle and support matrix (ibm.com/support/knowledgecenter/STJTAG/hsg/hak_lifecycle.dita) details the HAK lifecycle with compatible storage system microcode versions and supported operating system releases.

Supported HBAs

The IBM Storage Host Attachment Kit for Windows supports different host bus adapter (HBA) brands and types.

For the latest support information and compatibility matrix, see the IBM System Storage[®] Interoperation Center website (www.ibm.com/systems/support/storage/config/ssic).

For best performance, install the latest firmware and drivers for the HBAs that are in use. The HBA vendor should provide the latest firmware and drivers.

Important: For iSCSI connectivity, only iSCSI software initiators are supported. Hardware iSCSI HBAs are not supported.

Supported multipath I/O solutions

The IBM Storage Host Attachment Kit for Windows supports the following multipath solutions:

- Native multipath I/O (MPIO) and Microsoft DSM (MSDSM); installed from the Server Manager.
- Veritas Dynamic Multipathing (DMP). For the details of the supported DMP versions, refer to the IBM System Storage Interoperation Center.

Important: Using more than one multipath I/O framework on the same host is not supported.

Required software on the host

During host attachment procedure, Host Attachment Kit automatically checks if all required hotfixes for Microsoft Windows Server are installed on the host.

These updates are required for error-free functionality and must be installed manually. The following table lists the required hotfixes for each service pack.

Important:

- The following table contains information that is known at the time of the General Availability (GA) date. Newer or additional hotfixes may be required in distinct cases or in particular production environments. Contact IBM Support if you encounter errors or difficulties.
 - You can find any relevant hotfix and download it from the Microsoft Support website (support.microsoft.com).
 - Always refer to the Microsoft documentation (KB article) of any hotfix or set of hotfixes that your system requires.
-

Operating system	Service pack	Required components
Windows Server 2008	Service Pack 2	<ul style="list-style-type: none">• Microsoft Multipath I/O Framework (enable from the Server Manager applet).• Microsoft Hotfix set* KB957311 (support.microsoft.com/kb/957311) if Windows Clustering is used.• Microsoft Hotfix KB979743 (support.microsoft.com/kb/979743)• Microsoft Hotfix KB981379 (support.microsoft.com/kb/981379)• Microsoft Hotfix KB983554 (support.microsoft.com/kb/983554)• Microsoft Hotfix KB2522766 (support.microsoft.com/kb/2522766)• Microsoft Hotfix KB4019206 (support.microsoft.com/kb/4019206)

Operating system	Service pack	Required components
Windows Server 2008 R2	None	<ul style="list-style-type: none"> • Microsoft Multipath I/O Framework (enable from the Server Manager applet). • Microsoft Hotfix set* KB980054 (support.microsoft.com/kb/980054) if Windows Clustering is used. • Microsoft Hotfix KB979711 (support.microsoft.com/kb/979711) • Microsoft Hotfix KB981208 (support.microsoft.com/kb/981208) • Microsoft Hotfix KB2460971 (support.microsoft.com/kb/2460971) • Microsoft Hotfix KB2522766 (support.microsoft.com/kb/2522766)
	Service Pack 1	<ul style="list-style-type: none"> • Microsoft Hotfix set* KB2468345 (support.microsoft.com/kb/2468345) • Microsoft Hotfix set* KB2545685 (support.microsoft.com/kb/2545685) if Windows Clustering is used. • Microsoft Hotfix KB2460971 (support.microsoft.com/kb/2460971) • Microsoft Hotfix KB2522766 (support.microsoft.com/kb/2522766) • Microsoft Hotfix set* KB4019264 (support.microsoft.com/kb/4019264)
Windows Server 2012	None	<ul style="list-style-type: none"> • Microsoft Hotfix KB2898774 (support.microsoft.com/kb/2898774) if Windows Clustering is used. • Microsoft Hotfix KB3036614 (support.microsoft.com/kb/3036614) • Microsoft Hotfix set* KB4019216 (support.microsoft.com/kb/4019216)
Windows Server 2012 R2	None	<ul style="list-style-type: none"> • Microsoft Hotfix set* KB4019217 (support.microsoft.com/kb/4019217)
Windows Server 2016	None	<ul style="list-style-type: none"> • Microsoft Hotfix set* KB4015217 (support.microsoft.com/kb/4015217)
* Includes more than one hotfix. Refer to the Microsoft KB article on the provided link.		

Note:

- Refer to “Known issues” on page 7 for information about any additional Microsoft hotfix that you may need to install in order to solve any specific issue that you might encounter.
 - Refer to this technote for details about hotfixes required for IBM HyperSwap support.
-

Change log

This section summarizes the changes made in different version releases of the IBM Storage Host Attachment Kit for Windows.

Version 2.8.1 (July 2017)

Version 2.8.1 adds KB3036614, as a required hotfix for Microsoft Windows Server 2012 hosts.

Version 2.8.0 (June 2017)

Version 2.8.0 added integration with IBM HyperSwap solution, as introduced by the FlashSystem A9000 and A9000R storage systems (version 12.1). Additional changes in version 2.8.0:

Ticket ID	Description
HA-261979*	Enhancement: The <code>xiv_devlist</code> command output indicates the HyperSwap mode of the volume (stretched or regular).
HA-261987*	Enhancement: The <code>xiv_devlist</code> command output displays the name of the remote storage system in the IBM HyperSwap solution.
HA-261975*	Change: The required hotfixes for Microsoft Windows Server are no longer bundled with the HAK installation package. These components must be installed manually.
HA-261922*	Fixed: Windows Server 2016 appears as unsupported, when running the <code>xiv_host_profiler</code> command.
HA-261965*	Fixed: The <code>xiv_host_profiler</code> command with the <code>--set-password</code> and <code>--storage</code> arguments fails due to discrepancy between the <code>--storage</code> value and the system serial number of the storage system itself. This update requires resetting the current password.

* Applies to all supported operating systems.

Version 2.7.0 (December 2016)

Version 2.7.0 improved security by adding ability to set passwords for hosts, accessing storage systems. Also, it introduced support for Windows Server 2016. Additional changes in version 2.7.0:

Ticket ID	Description
HA-62994*	Fixed: The <code>xiv_devlist</code> command output displays the current HAK version with uppercase <code>-V</code> .
HA-261877*	Fixed: Error messages generated, when invalid LDAP credentials are supplied, may be overly general without specifying the exact reason for host attachment failure.
HA-261954*	Fixed: XIV, Spectrum Accelerate and FlashSystem A9000/A9000R storage systems appear as unknown devices.

* Applies to all supported operating systems.

Version 2.6.0 (April 2016)

Version 2.6.0 added support for IBM FlashSystem A9000 and IBM FlashSystem A9000R storage systems with microcode 12.0. Additional changes in version 2.6.0:

Ticket ID	Description
HA-261809*	Change: The <code>xiv_syslist</code> command output displays all supported storage system types.

Ticket ID	Description
HA-261811*	Change: The xiv_devlist command output displays all supported storage system types.
HA-261816*	Fixed: When running the xiv_attach command, scanning for FC-connected storage systems is performed, even if the user chooses not to complete it.
HA-261859*	Fixed: A general exception may occur during the xiv_iscsi_admin , xiv_fc_admin or xiv_attach command execution.
HA-261869*	Fixed: If during new iSCSI target discovery an IP address is unreachable on a single storage systems, the error message appears for all connected devices.

* Applies to all supported operating systems.

Version 2.5.0 (September 2015)

Version 2.5.0 added support for XIV microcode version 11.6.x and IBM Spectrum Accelerate 11.5.1.x. Additional change in version 2.5.0:

Ticket ID	Description
HA-261629*	Change: The -L option of the xiv_iscsi_admin and xiv_fc_admin commands is deprecated. Only the xiv_syslist -L command can be used for listing the attached storage systems, as detailed in HA-204578. For more information, refer to the user guide.

* Applies to all supported operating systems.

Version 2.4.0 (March 2015)

Version 2.4.0 added support for XIV microcode version 11.5.1 and IBM Spectrum Accelerate 11.5.0.b. Additional enhancement in version 2.4.0:

Ticket ID	Description
HA-261509	Enhancement: This new feature allows the host administrator to automatically discover and connect to new, already-attached iSCSI ports. For more information, refer to the user guide.

Version 2.3.0 (August 2014)

Version 2.3.0 added support for XIV microcode version 11.5 and includes the following enhancements and fixes.

Ticket ID	Description
HA-250756*	Enhancement: The --list (-L) command option can be used with xiv_diag to display information that is to be gathered by the utility. For more information, refer to the user guide.

Ticket ID	Description
HA-261361*	<p>Enhancement: Added support for the XIV multi-tenancy feature, allowing host attachment to different and separate storage domains that are defined on the same XIV storage system. This enhancement applies only to XIV microcode version 11.5 or later.</p> <p>For more information, refer to the user guide.</p>
HA-248145	<p>Fixed: On Windows Server 2012, Pythonwin.exe (bundled in the HAK package for Windows) may record Side-by-Side events in the event log. These events have no effect on system functionality.</p>
HA-253089	<p>Fixed: After upgrading from HAK version 1.5.x to version 1.10.0 or later, the newer xiv_attach utility might fail in the 'Verifying XIV MPIIO Load Balancing' configuration task.</p>
HA-261223	<p>Fixed: A general error message appears when running xiv_attach, xiv_fc_admin, or xiv_iscsi_admin if non-English characters are used in the XIV credentials.</p>
* Applies to all supported operating systems.	

Limitations

As opposed to known issues, limitations are functionality restrictions that are part of the predefined system design and capabilities in a particular version.

Currently there are no known limitations for IIBM Storage Host Attachment Kit for Windows.

Check for newer release note publications to learn about limitations that could be discovered and advertised in the future.

Known issues

This section details the known issues in version 2.8.1 of the IBM Storage Host Attachment Kit for Windows, along with possible solutions or workarounds (if available).

Ticket ID	Description
HA-6459	<p>When using the VMware Raw Device Mapping (RDM), xiv_devlist and the multipath management agent erroneously report that Windows has only one path to the disk.</p> <p>Currently there is no workaround or solution for this limitation.</p>

Ticket ID	Description
HA-100800	<p data-bbox="683 226 1187 256">Mapping the LUN0 volume causes errors.</p> <p data-bbox="683 285 1386 378">Due to the distinctive properties of the XIV LUN0 volume (on any storage pool), mapping it to the host causes numerous errors or performance problems.</p> <p data-bbox="683 407 1386 432">Accordingly, mapping the LUN0 volume is not supported.</p>
HA-100946	<p data-bbox="683 453 1425 575">When running xiv_attach, xiv_fc_admin, or xiv_iscsi_admin for the first and second time (during the initial host configuration) on x64-based Windows Server 2008, two reboots are required.</p> <p data-bbox="683 604 1425 663">This occurs due to the automatic installation of two Microsoft hotfixes.</p> <p data-bbox="683 693 1325 751">Currently there is no workaround or solution for this limitation.</p>
HA-163121	<p data-bbox="683 772 1412 865">An error occurs when using the \h (help) argument with the HAK installation command in the Windows command prompt.</p> <p data-bbox="683 894 1325 953">Currently there is no workaround or solution for this limitation.</p>
HA-213964	<p data-bbox="683 974 1399 1066">When using the HAK from Windows PowerShell, the -o command argument (used with xiv_devlist and xiv_syslist) does not work with more than one parameter.</p> <p data-bbox="683 1096 1341 1180">To avoid this issue, use single quotes to enclose all the parameter names. For example: <code>xiv_devlist -o 'device,size'</code></p>
HA-235121	<p data-bbox="683 1201 1432 1323">When xiv_devlist is run immediately after xiv_fc_admin -R or xiv_iscsi_admin -R, the devices list might report "N/A" as the size of some devices. This occurs due to a delay limitation in Windows Server.</p> <p data-bbox="683 1352 1357 1415">To resolve this issue, wait a few seconds before running xiv_devlist.</p>
HA-254647	<p data-bbox="683 1436 1409 1558">If version 1.0.2.1 of the IBM Storage Enabler for Windows Failover Clustering is installed on the host, the Host Profiler utility (xiv_host_profiler) returns a value of 0.0.0 as the version number.</p> <p data-bbox="683 1566 1409 1692">Note: This does not affect the functionality of the IBM Storage Enabler for Windows Failover Clustering, and no other erroneous information is returned by the Host Profiler utility.</p>
HA-261228	<p data-bbox="683 1713 1425 1772">xiv_devlist does not show a volume that is mapped to LUN 255.</p> <p data-bbox="683 1801 1370 1827">To avoid this issue, do not map any volume to LUN 255.</p>

Ticket ID	Description
HA-261447	<p>If you upgrade the software from version 2.1.0.1 to any later version, a duplicate entry is left in the “Program and Features” list in the Windows Control Panel. This behavior does not affect the HAK functionality.</p> <p>After upgrading from version 2.1.0.1 and determining that the new version is functioning correctly, uninstall version 2.1.0.1.</p>
HA-261626	<p>LUNs with IDs higher than 255 mapped to a host over iSCSI may result in an incorrect listing of the storage volumes, using the xiv_devlist command.</p> <p>To avoid this issue, do not use LUN IDs higher than 255.</p>
HA-261854	<p>In Windows Server 2008 SP2, the installation wizard may not display the image of IBM storage system.</p>
HA-261875	<p>In Windows Server 2012 and 2012 R2, mapped volumes appear as unknown devices in Device Manager after they are mounted. This does not affect the system operation, and the multipathing works properly.</p>
HA-261930	<p>When running the xiv_devlist command on volumes during the Hyper-Scale Mobility process, the storage system serial number indicates either a source or a destination system. This may be confusing, when this command is used several times in a row, and different storage system serial numbers are displayed inconsistently.</p> <p>To resolve this issue, use XIV GUI or Hyper-Scale Manger to determine the Hyper-Scale Mobility state and correct serial numbers of the storage systems.</p>
HA-262027	<p>In rare cases, installation wizard may become unresponsive during HAK upgrade on Windows Server 2016.</p> <p>Cancel the installation process to complete the upgrade successfully. Then, use the xiv_fc_admin -b or xiv_iscsi_admin -b command to display the current HAK build version.</p>

Known interoperability issues

This section describes known issues or limitations that could arise when using IBM Storage Host Attachment Kit for Windows in conjunction with other components in the production environment, such as hardware switches, host bus adapters (HBAs), other IBM products, or different software platforms such as operating systems, clustering solutions, virtual machine servers, multipathing solutions, and other third-party components.

HyperSwap issues and limitations for Windows Server 2008 and 2008 R2

In Windows Server 2008 and 2008 R2, an attempt to failover a cluster group results in a Stop error on the new active node. This stems from the inability of the

Microsoft Device-Specific Module driver to allocate sufficient memory from the Report Target Port Groups (RTPG) command.

IBM Technote S1010299, IBM FlashSystem A9000 and A9000R HyperSwap support notes for Windows Server hosts, provides important guidance for using HyperSwap with Windows Server 2008 and Windows Server 2008 R2.

Related information and publications

You can find additional information and publications related to the IBM XIV Host Attachment Kit for Windows on the following websites.

- IBM Knowledge Center (ibm.com/support/knowledgecenter)
- IBM XIV Storage System on IBM Knowledge Center (ibm.com/support/knowledgecenter/STJTAG)
- IBM Spectrum Accelerate on IBM Knowledge Center (ibm.com/support/knowledgecenter/STZSWD)
- IBM FlashSystem A9000 on IBM Knowledge Center (ibm.com/support/knowledgecenter/STJKMM)
- IBM FlashSystem A9000R on IBM Knowledge Center (ibm.com/support/knowledgecenter/STJKN5)
- IBM Flash Storage and Solutions marketing website (ibm.com/systems/storage/flash)
- Microsoft TechNet website for Windows Server (technet.microsoft.com/en-us/windowsserver)
- Microsoft Windows Server TechCenter (technet.microsoft.com/en-us/library/bb625087.aspx)
- Microsoft TechNet overview page for Multipath I/O (MPIO) (technet.microsoft.com/en-us/library/cc725907.aspx)

Getting information, help, and service

If you need help, service, technical assistance, or want more information about IBM products, you can find various sources to assist you. You can view the following websites to get information about IBM products and services and to find the latest technical information and support.

- IBM website (ibm.com[®])
- IBM Support Portal website (ibm.com/support/entry/portal/support?brandind=Hardware~System_Storage)
- IBM Directory of Worldwide Contacts website (ibm.com/planetwide)

Use the Directory of Worldwide Contacts to find the appropriate phone number for initiating voice call support. Select the Software option, when using voice response system.

When asked, provide your Internal Customer Number (ICN) and/or the serial number of the storage system that requires support. Your call will then be routed to the relevant support team, to whom you can provide the specifics of your problem.

Notices

These legal notices pertain to the information in this IBM Storage product documentation.

This information was developed for products and services offered in the US. This material may be available from IBM in other languages. However, you may be required to own a copy of the product or product version in that language in order to access it.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
USA*

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan Ltd.
19-21, Nihonbashi-Hakozakicho, Chuo-ku
Tokyo 103-8510, Japan*

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

*IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
USA*

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

The performance data discussed herein is presented as derived under specific operating conditions. Actual results may vary.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

Trademarks

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Copyright and trademark information website (www.ibm.com/legal/us/en/copytrade.shtml).

Microsoft, Windows Server, Windows, and the Windows logo are trademarks or registered trademarks of Microsoft Corporation in the United States, other countries, or both.

Veritas is a trademark or registered trademark of Symantec Corporation in the United States and other countries.

Other product and service names might be trademarks of IBM or other companies.



Printed in USA