

IBM Spectrum Virtualize Family Storage
Replication Adapter
Version 3.5.0

Release notes



First Edition (August 2019)

This edition applies to version 3.5.0 of the IBM Spectrum Virtualize Family Storage Replication Adapter and to all subsequent releases and modifications until otherwise indicated in a newer publication. Newer document editions may be issued for the same product version in order to add missing information or amend typographical errors. The edition is reset to 'First Edition' for every new product version.

© **Copyright International Business Machines Corporation 2010, 2019.**

US Government Users Restricted Rights – Use, duplication or disclosure restricted by GSA ADP Schedule Contract with IBM Corp.

Contents

- Overview..... 1**
- Compatibility and requirements..... 3**
 - Supported storage systems..... 3
 - Required VMware server software..... 3
 - Required VMware client software..... 3
- Change log..... 5**
 - Version 3.5.0 (August 2019)..... 5
 - Version 3.4.0 (August 2018)..... 5
 - Version 3.3.3 (March 2018)..... 6
 - Version 3.3.2 (December 2017)..... 6
 - Version 3.3.1 (September 2017)..... 6
 - Version 3.3.0 (November 2016)..... 7
 - Version 3.2.1 (September 2016)..... 7
 - Version 3.2.0 (April 2016)..... 8
 - Version 3.1.0 (September 2015)..... 8
 - Version 2.3.1.1 (June 2015)..... 8
 - Version 2.3.1 (March 2015)..... 8
 - Version 2.3.0.1 (December 2014)..... 8
 - Version 2.3.0 (June 2014)..... 9
 - Version 2.2.1 (December 2013)..... 9
- Known issues..... 11**
- Related information and publications..... 13**
- Getting information, help, and service..... 15**
- Notices..... 17**
 - Trademarks..... 18

Overview

The IBM Spectrum Virtualize Family Storage Replication Adapter (SRA) is a software add-on that integrates with VMware vCenter Site Recovery Manager (SRM) solution and enables SRM to perform failovers together with supported storage systems.

The IBM Spectrum Virtualize Family SRA extends SRM capabilities and uses replication and mirroring as part of the SRM comprehensive Disaster Recovery Planning (DRP) solution. VMware administrators can automate the failover of a storage system at the protected (primary) SRM site to a storage system at a recovery (secondary) SRM site.

Compatibility and requirements

The compatibility and requirements for version 3.5.0 of the IBM Spectrum Virtualize Family SRA are documented in the following topics.

Supported storage systems

The IBM Spectrum Virtualize Family SRA supports the following IBM® Storage products.

Storage system	Microcode version	Compatibility note
IBM FlashSystem® V9000	7.4.1 to 8.3.0	
IBM FlashSystem 9100	8.2.0 to 8.3.0	
IBM SAN Volume Controller	7.1 to 8.3.0	Requires the Remote Mirror and FlashCopy® features to be enabled.
IBM Storwize® V3700	7.1.0.1 to 7.8	
IBM Storwize V5000	7.1 to 8.3.0	
IBM Storwize V7000	7.1 to 8.3.0	
IBM Storwize V7000 Unified	1.4.1 to 1.6.2	Only block storage is supported. File systems and file shares are not supported.
IBM Spectrum Virtualize as software only	7.7.1 to 8.3.0	

Note:

- Newer microcode versions may also be compatible. When a newer microcode version becomes available, refer to the [Lifecycle and support matrix page](#) on IBM Knowledge Center to check whether the new microcode version is also supported.
 - All storage systems listed above run the IBM Spectrum Virtualize software.
-

Required VMware server software

The following server software must be installed at both the protected (primary) and recovery (secondary) sites.

- VMware Site Recovery Manager 8.2 (Virtual Appliance)

Required VMware client software

The following software must be installed on the administrator client station.

- VMware vSphere Web Client 6.0 U3 or later

Change log

This section summarizes the changes made in different version releases of the IBM Spectrum Virtualize Family Storage Replication Adapter (SRA).

Version 3.5.0 (August 2019)

Version 3.5.0 adds support for the following storage system microcode versions:

- IBM FlashSystem V9000 8.3.0
- IBM FlashSystem 9100 8.3.0
- IBM SAN Volume Controller 8.3.0
- IBM Storwize V5000 8.3.0
- IBM Storwize V7000 8.3.0
- IBM Spectrum Virtualize (deployable software) 8.3.0

Version 3.5.0 also includes the following enhancement.

Ticket ID	Description
VMSS-260946	Enhancement: Support was added for VMware SRM 8.2 (Virtual Appliance).

Version 3.4.0 (August 2018)

Version 3.4.0 added support for the following storage system microcode versions:

- IBM FlashSystem V9000 8.1.3
- IBM FlashSystem 9100 8.2.0
- IBM SAN Volume Controller 8.1.3
- IBM Storwize V5000 8.1.3
- IBM Storwize V7000 8.1.3 and 8.2.0
- IBM Spectrum Virtualize (deployable software) 8.1.3

Version 3.4.0 also included the following fixes and enhancements.

Ticket ID	Description
VMSS-260812	Fixed: The error code returned for invalid device ID (4) was incorrect and actually means "Invalid Array ID." The correct error code (77777 "CMMVC6270E Invalid device.\n") is now returned.
VMSS-260837	Fixed: The SVC attachvolume function only returned the return code value from the last time the target host mapping operation was performed. As a result, when subsequent failover operations were run, the mapping operation was not run again for hosts that were previously mapped successfully, which led to failover operation failure.
VMSS-260864	Enhancement: Return code check for host mapping during testfailoverstart operation added.
VMSS-260878	Enhancement: Added support for a new IBM storage product, IBM FlashSystem 9100.

Version 3.3.3 (March 2018)

Version 3.3.3 added support for the following storage system microcode versions:

- IBM FlashSystem V9000 8.1.2
- IBM SAN Volume Controller 8.1.2
- IBM Storwize V5000 8.1.2
- IBM Storwize V7000 8.1.2
- IBM Spectrum Virtualize (deployable software) 8.1.2

Version 3.3.3 also included the following fix.

Ticket ID	Description
VMSS-260853	Fixed: Defensive programming check in <code>preparefailover</code> was not working.

Version 3.3.2 (December 2017)

Version 3.3.2 added support for the following storage system microcode versions:

- IBM FlashSystem V9000 8.1.1
- IBM SAN Volume Controller 8.1.1
- IBM Storwize V5000 8.1.1
- IBM Storwize V7000 8.1.1
- IBM Spectrum Virtualize (deployable software) 8.1.1

Version 3.3.2 also included the following enhancement and fixes.

Ticket ID	Description
VMSS-260785	Enhancement: Improved performance when querying stretched cluster volumes from storage systems.
VMSS-260727	Fixed: Protection site volumes could not be attached to the host when running <code>reprotect</code> after running <code>disaster failover</code> using <code>iSCSI</code> .
VMSS-260789	Fixed: Since version 3.3.0, the log in the SRA check configuration tool did not display configuration changes.

Version 3.3.1 (September 2017)

Version 3.3.1 added support for SVC host cluster starting with IBM SAN Volume Controller version 7.7.1. It also added support for the following storage system microcode versions:

- IBM FlashSystem V9000 8.1
- IBM SAN Volume Controller 8.1
- IBM Storwize V5000 8.1
- IBM Storwize V7000 8.1
- IBM Spectrum Virtualize (deployable software) 8.1

Version 3.3.0 (November 2016)

Version 3.3.0 added support for the following storage system microcode versions:

- IBM FlashSystem V9000 7.8
- IBM SAN Volume Controller 7.8
- IBM Storwize V3700 7.8
- IBM Storwize V5000 7.8
- IBM Storwize V7000 7.8
- IBM Storwize V7000 Unified 1.6.2

Additional enhancement in version 3.3.0:

Ticket ID	Description
VMSS-260704	Enhancement: IBM Storwize Family Storage Replication Adapter renamed to IBM Spectrum Virtualize Family Storage Replication Adapter.

Version 3.2.1 (September 2016)

Version 3.2.1 added support for the following storage system microcode versions:

- IBM FlashSystem V9000 7.7.1
- IBM SAN Volume Controller 7.7.1
- IBM Storwize V3700 7.7.1
- IBM Storwize V5000 7.7.1
- IBM Storwize V7000 7.7.1
- IBM Storwize V7000 Unified 1.6.1
- IBM Spectrum Virtualize (deployable software) 7.7.1

Additional enhancements and fixes in version 3.2.1:

Ticket ID	Description
VMSS-260700	Enhancement: Added support for M:N topology (M SVCs on the protected site and N SVCs on the recovery site) in one SRM pair.
VMSS-260692	Enhancement: Improved performance when querying volumes from storage systems. Note: This enhancement only works with CIMOM version 7.4.0.9, 7.5.0.7, 7.6.0.2, or higher.
VMSS-260695	Fixed: Testfailover failed for standalone replications in Preconfigured mode with CIMOM 7.6.0.31.
VMSS-260694	Fixed: Thin provision volume creation failed during testfailover in SAN Volume Controller and Storwize 7.6.1.x.

Version 3.2.0 (April 2016)

Version 3.2.0 included the following enhancement and fix.

Ticket ID	Description
VMSS-260683	Enhancement: Implement SRA support for local hyperswap, starting with Storwize family firmware version 7.6.
VMSS-260682	Fixed: The prepareFailover process failed due to the remote copy idling status after an unplanned failover.

Version 3.1.0 (September 2015)

Version 3.1.0 added support for SVC Stretched Cluster, starting with SVC microcode version 7.3.0.5, and included the following fixes.

Ticket ID	Description
VMSS-260666	Fixed: Modified failover, so that the failover operation will not be interrupted when meeting errors during the protect source/target process.
VMSS-260677	Fixed: Modified discoverArray so that now only the one peer array that matches the address of the remote SVC is returned instead of multiple ones.

Version 2.3.1.1 (June 2015)

Version 2.3.1.1 included the following enhancement and fixes.

Ticket ID	Description
VMSS-260672	Enhancement: Array specific Mdisk group configurations for multiple arrays on one site.
VMSS-260655	Fixed: In CheckTool, disabled SSLv3 to avoid man-in-the-middle (MITM) attacks.
VMSS-260668	Fixed: For security, disabled DH and DHE algorithms to prevent SSL Logjam attacks.

Version 2.3.1 (March 2015)

Version 2.3.1 added support for VMware Site Recovery Manager 6.0 and included the following fix.

Ticket ID	Description
VMSS-260656	Fixed: An error occurs when setting a managed disk (Mdisk) group for target protection, and the operation fails.

Version 2.3.0.1 (December 2014)

Version 2.3.0.1 added support for the following storage system microcode versions:

- IBM SAN Volume Controller 7.4

- IBM Storwize V3700 7.4
- IBM Storwize V5000 7.4
- IBM Storwize V7000 7.4

Additional fix in version 2.3.0.1:

Ticket ID	Description
VMSS-260651	Fixed: Disabled SSLv3 to prevent man-in-the-middle (MITM) attacks.

Version 2.3.0 (June 2014)

Version 2.3.0 added support for the following storage system microcode versions:

- IBM SAN Volume Controller 7.3
- IBM Storwize V3700 7.3
- IBM Storwize V5000 7.3
- IBM Storwize V7000 7.3
- IBM Storwize V7000 Unified 1.4.3 (block storage only)

Additional enhancements and fix in version 2.3.0:

Ticket ID	Description
VMSS-260576	Enhancement: IP replication partnerships. IP replication only supports Storwize Family version 7.2 or later. For information about configuring IP replication, see IBM Storwize V7000 on IBM Knowledge Center (ibm.com/support/knowledgecenter/ST3FR7) .
SRADSK-261140	Enhancement: The Check Configuration Tool determines whether the configuration is correct and troubleshoots problems.
SVCSRA-5161	Fixed: The IBM Storwize Family SRA fails if the name of the consistency group has the string " grp. "

Version 2.2.1 (December 2013)

Version 2.2.1 added support for the following storage system microcode versions:

- IBM Flex System® V7000 Storage Node 7.2
- IBM SAN Volume Controller 7.2
- IBM Storwize V3700 7.2
- IBM Storwize V5000 7.1 to 7.2
- IBM Storwize V7000 7.2
- IBM Storwize V7000 Unified 1.4.2 (block storage only)

Additional enhancement in version 2.2.1:

Ticket ID	Description
VMSS-260606	Enhancement: Support for Transport Layer Security (TLS) 1.2.

Known issues

This section details the known issues in version 3.5.0, along with possible workarounds (if workarounds are available).

Ticket ID	Description
VMSS-260691	<p>The direction of the GMCV replications shown in SRM will sometimes display incorrectly if devices are manually discovered after a Recovery operation. This issue only reproduces against GMCV.</p> <p>After a failover, the GMCV becomes idle, and SRM cannot detect the direction of the replication relationship. No other operations, such as Reprotect, however, are impacted.</p>
SVCSRA-5161	<p>If the vCenter/SRM/ESX server is down while the IBM storage is still working, the secondary recovery action might fail when the primary site is recovered.</p> <p>Workaround: Stop the remote copies with the access option enabled on the storage system before running the secondary recovery.</p>

Related information and publications

Additional information and publications related to the IBM Spectrum Virtualize Family SRA can be found on the following IBM and VMware websites.

- [IBM Storwize V3700 on IBM Knowledge Center](http://ibm.com/support/knowledgecenter/STLM5A) (ibm.com/support/knowledgecenter/STLM5A)
- [IBM Storwize V5000 on IBM Knowledge Center](http://ibm.com/support/knowledgecenter/STHGJ) (ibm.com/support/knowledgecenter/STHGJ)
- [IBM Storwize V7000 on IBM Knowledge Center](http://ibm.com/support/knowledgecenter/ST3FR7) (ibm.com/support/knowledgecenter/ST3FR7)
- [IBM Storwize V7000 Unified on IBM Knowledge Center](http://ibm.com/support/knowledgecenter/ST5Q4U) (/support/knowledgecenter/ST5Q4U)
- [IBM SAN Volume Controller on IBM Knowledge Center](http://ibm.com/support/knowledgecenter/STPVGU) (ibm.com/support/knowledgecenter/STPVGU)
- [IBM FlashSystem V9000 on IBM Knowledge Center](http://ibm.com/support/knowledgecenter/STKMQV) (ibm.com/support/knowledgecenter/STKMQV)
- [IBM FlashSystem 9100 on IBM Knowledge Center](http://ibm.com/support/knowledgecenter/STSLR9) (ibm.com/support/knowledgecenter/STSLR9)
- [IBM Spectrum Virtualize on IBM Knowledge Center](http://ibm.com/support/knowledgecenter/STVLF4) (ibm.com/support/knowledgecenter/STVLF4)
- [SAN Volume Controller V4.3.0 Advanced Copy Services](http://redbooks.ibm.com/redbooks/pdfs/sg247574.pdf) (redbooks.ibm.com/redbooks/pdfs/sg247574.pdf)
- [SAN Volume Controller Best Practices and Performance Guidelines](http://redbooks.ibm.com/redbooks/pdfs/sg247521.pdf) (redbooks.ibm.com/redbooks/pdfs/sg247521.pdf)
- [VMware Documentation](http://vmware.com/support/pubs) (vmware.com/support/pubs)
- [VMware Product Support](http://vmware.com/support) (vmware.com/support)
- [VMware Knowledge Base](http://kb.vmware.com) (kb.vmware.com)

Getting information, help, and service

If you need help, service, technical assistance, or want more information about IBM products, you can find various sources to assist you. You can view the following websites to get information about IBM products and services and to find the latest technical information and support.

- [IBM \(ibm.com®\)](http://ibm.com)
- [IBM Publications Center \(www.ibm.com/shop/publications/order/\)](http://www.ibm.com/shop/publications/order/)
- [IBM Directory of Worldwide Contacts \(www.ibm.com/planetwide\)](http://www.ibm.com/planetwide)

Notices

These legal notices pertain to the information in this IBM Storage product documentation.

This information was developed for products and services offered in the US. This material may be available from IBM in other languages. However, you may be required to own a copy of the product or product version in that language in order to access it.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

*IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119
Armonk, NY 10504-1785
USA*

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

*Intellectual Property Licensing
Legal and Intellectual Property Law
IBM Japan Ltd.
19-21, Nihonbashi-Hakozakicho, Chuo-ku
Tokyo 103-8510, Japan*

INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

*IBM Director of Licensing
IBM Corporation
North Castle Drive, MD-NC119*

Armonk, NY 10504-1785
USA

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

The performance data discussed herein is presented as derived under specific operating conditions. Actual results may vary.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

Trademarks

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of the International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the [Copyright and trademark information website](http://ibm.com/legal/us/en/copytrade.shtml) (ibm.com/legal/us/en/copytrade.shtml).

VMware, ESX, ESXi, vSphere, vCenter, and vCenter Site Recovery Manager are trademarks or registered trademarks of VMware Corporation in the United States, other countries, or both.

Other product and service names might be trademarks of IBM or other companies.



Printed in USA