IBM XIV Provider for Microsoft Windows Volume Shadow Copy Service Version 2.7.0

Release Notes





Contents

| Overview | | | | | | | | | | | | | | | . 1 |
|--|-----|---|--|------|--|--|--|--|--|--|--|--|--|------|-----|
| Compatibility and requirements | | | | | | | | | | | | | | | . 1 |
| Supported Windows Server version | ons | · | | | | | | | | | | | | | . 1 |
| Supported VMware platforms . | | | | | | | | | | | | | | | |
| Supported storage systems | | | | | | | | | | | | | | | . 2 |
| Change log | | | | | | | | | | | | | | | . 2 |
| Version 2.7.0 (June 2015) | | | | | | | | | | | | | | | . 2 |
| Version 2.6.0.1 (March 2015) | | | | | | | | | | | | | | | . 2 |
| Version 2.6.0 (September 2014) . | | | | | | | | | | | | | | | . 2 |
| Version 2.5.0 (December 2013) . | | | | | | | | | | | | | | | |
| Version 2.4.0 (June 2013) | | | | | | | | | | | | | | | . 3 |
| Version 2.3.2.2 (April 2013) | | | | | | | | | | | | | | | . 4 |
| Version 2.3.2.1 (March 2013) | | | | | | | | | | | | | | | . 4 |
| Version 2.3.2 (September 2012) . | | | | | | | | | | | | | | | . 4 |
| Version 2.3.1 (September 2011) . | | | | | | | | | | | | | | | . 4 |
| Version 2.3.0 (August 2011) | | | | | | | | | | | | | | | . 4 |
| Version 2.2.4 (January 2011) | | | | | | | | | | | | | | | . 5 |
| Version 2.2.3 (March 2010) | | | | | | | | | | | | | | | . 5 |
| Version 2.2.2 (November 2009) . | | | | | | | | | | | | | | | . 5 |
| Known issues | | | | | | | | | | | | | | | . 6 |
| Related information and publications | s. | | | | | | | | | | | | | | . 8 |
| Getting information, help, and service | e. | | | | | | | | | | | | | | . 9 |
| | | | | | | | | | | | | | | | |
| Notices | | | | | | | | | | | | | | | 11 |
| Trademarks | | | | | | | | | | | | | | | |

Overview

The IBM® XIV® Provider for Microsoft Windows Volume Shadow Copy Service (VSS) is a software module that runs as a service on Microsoft Windows Server and automatically creates snapshots of Windows-based or VMware-based applications.

The module uses the Windows Server VSS framework for its management interface, and the IBM XIV Storage System as the storage system on which snapshot data is stored and maintained.

You can download the IBM XIV Provider for Microsoft Windows Volume Shadow Copy Service software package at any time from the IBM Fix Central website (www.ibm.com/support/fixcentral).

Compatibility and requirements

This section specifies the compatibility and requirements of version 2.7.0 of the IBM XIV Provider for Microsoft Windows Volume Shadow Copy Service.

Supported Windows Server versions

The IBM XIV Provider for Microsoft Windows Volume Shadow Copy Service is compatible with different versions of Microsoft Windows Server, as detailed in the following table.

| Operating system | Service Pack | Architecture |
|----------------------------------|--------------|--------------|
| Microsoft Windows Server 2008 | SP1, SP2 | x86, x64 |
| Microsoft Windows Server 2008 R2 | None, SP1 | x64 |
| Microsoft Windows Server 2012 | None | x64 |
| Microsoft Windows Server 2012 R2 | None | x64 |

Important:

- Microsoft .NET Framework 4.5 must be installed on all supported Windows Server versions.
- Microsoft Windows Hyper-V host operating system (OS) supports Windows Server 2012 and later.
- Microsoft Windows Hyper-V guest OS supports Windows Server 2008 and later.

Supported VMware platforms

The IBM XIV Provider for Microsoft Windows Volume Shadow Copy Service supports different VMware platforms, as detailed in the following table.

| VMware platform | Version |
|-----------------|--------------------|
| ESXi | 5.0, 5.1, 5.5, 6.0 |
| vCenter Server | 5.0, 5.1, 5.5 |

Supported storage systems

The IBM XIV Provider for Microsoft Windows Volume Shadow Copy Service supports different IBM storage systems, as listed in the following table.

| Storage system | Microcode version |
|-------------------------|--|
| IBM XIV Storage System | 10.2.x |
| | 11.0.x, 11.1.x, 11.2.x, 11.3.x, 11.4.x, 11.5.x, 11.6.x |
| IBM Spectrum Accelerate | 11.5.0.c |

Note: A snapshot will not be created if the free snapshot space is less than or equal to 17 GB.

Change log

This section summarizes the changes made in different version releases of the IBM XIV Provider for Microsoft Windows Volume Shadow Copy Service.

Version 2.7.0 (June 2015)

Version 2.7.0 adds support for IBM XIV Storage System 11.6.0 and introduces the following changes.

| Ticket ID | Description |
|-------------|--|
| VSSP-261069 | Enhancement: The service name for IBM XIV Provider for Microsoft Windows Volume Shadow Copy Service is changed to "IBM XIV Provider for Microsoft Windows VSS," and the service description is changed to "IBM XIV Provider for Microsoft Windows Volume Shadow Copy Service." |
| VSSP-261105 | Fixed: InstallShield is upgraded to 2014. |
| VSSP-261109 | Enhancement: Support for .NET Framework 4.5 is added. |

Version 2.6.0.1 (March 2015)

Version 2.6.0.1 added support for IBM Spectrum[™] Accelerate storage system deployments and introduced the following changes.

| Ticket ID | Description |
|-------------|---|
| VSSP-261094 | Enhancement: Allows the XIV storage system to be managed by more than three nodes. |
| VSSP-261101 | Fixed: Vulnerability in version 3 of the SSL encryption protocol allows an attacker to read information encrypted with this version of the protocol in plain text using a Man-in-the-Middle (MITM) attack. |

Version 2.6.0 (September 2014)

Version 2.6.0 added support for version 11.5.0 of the XIV microcode.

Additional enhancements in version 2.6.0:

| Ticket ID | Description |
|-------------|--|
| VSSP-261054 | Enhancement: Added support for the Hyper-V/MSFC Environment. |
| VSSP-261059 | Enhancement: Added support for 3-way mirroring with the XIV Proxy LUN feature. |
| VSSP-261064 | Enhancement: Added support for the XIV multi-tenancy feature. |
| VSSP-261065 | Enhancement: In a VMware ESXi RDM environment, the user can configure a Soap timeout in the configuration file or in the MachinePoolCLI.exe file. |

Version 2.5.0 (December 2013)

Version 2.5.0 added support for version 11.4.0 of the XIV microcode, as well as for VMware vSphere 5.5 and Microsoft Windows Server 2012 R2.

Additional changes in version 2.5.0:

| Ticket ID | Description |
|-------------|---|
| VSSP-261036 | Fixed: When a volume is in the proxy phase and the destination pool name is different than the source pool name, the VSS provider cannot create a snapshot of that volume. |

Version 2.4.0 (June 2013)

Version 2.4.0 added support for version 11.3.0 of the XIV microcode and for the IBM Hyper-Scale Mobility (online volume migration) feature.

Additional changes in version 2.4.0:

| Ticket ID | Description |
|-------------|---|
| VSSP-208026 | Enhancement: The XIV Proxy LUN feature is now supported, allowing volumes to be mirrored in proxy state. |
| VSSP-240823 | Enhancement: Replicated snapshots can now be enabled from the Machine Pool Editor GUI. |
| VSSP-240824 | Change: The term <i>Replicated Snapshots</i> has been renamed to <i>Mirrored Snapshots</i> , in line with the XIV mirroring terminology. |
| VSSP-240826 | Change: If incorrect parameters are entered upon the first configuration try, another configuration try is now allowed (the configuration interface no longer automatically closes upon incorrect data entry). |
| VSSP-256652 | Fixed: Deleting old VSS Provider log files causes the following error to appear in the Windows event log: Unable to delete older log file, error code: 2 |
| VSSP-261027 | Fixed: On x64-based Windows Server 2003, snapshot creation fails on drive C. |

Version 2.3.2.2 (April 2013)

Version 2.3.2.2 resolved the following issue.

| Ticket ID | Description |
|-------------|---|
| VSSP-258713 | Fixed: If vCenter Server is installed on a non-English version of Windows Server, a redundant SCSI controller might be created for each target volume that is mapped as RDM. |

Version 2.3.2.1 (March 2013)

Version 2.3.2.1 resolved the following issue.

| Ticket ID | Description |
|-------------|--|
| VSSP-253383 | Fixed: The IBM XIV Provider installation fails on the French |
| | version of Windows Server 2008 R2. |

Version 2.3.2 (September 2012)

Version 2.3.2 added support for the Microsoft Windows Server 2012 operating system and the VMware vSphere 5.0 and 5.1 platforms.

Additional changes in version 2.3.2:

| Ticket ID | Description |
|-------------|---|
| VSSP-12575 | Enhancement: The installation wizard is now InstallShield based. |
| VSSP-166521 | Fixed: The Delete Snapshot operation fails with "Cannot find SCSI LUN on VMware ESX host" error and leaves behind snapshots on the IBM XIV Storage System. |
| VSSP-170968 | Fixed: The installation fails if the name of the admin group is changed prior to the installation. |

Version 2.3.1 (September 2011)

Version 2.3.1 added support for version 11.0 of the IBM XIV Storage System microcode.

Version 2.3.0 (August 2011)

Version 2.3.0 introduced support for the VMware vCenter and ESX server platforms, allowing snapshot creation of VMware-based applications.

Additional changes in version 2.3.0:

| Ticket ID | Description |
|------------|--|
| VSSP-23996 | Enhancement: The VSS Provider can create hardware snapshots of Raw Device Mapping (RDM) volumes when running on a guest operating system in a VMware environment. |
| VSSP-20390 | Fixed: The user password is visible in the debug log. |

| Ticket ID | Description |
|-------------|--|
| VSSP-42574 | Fixed: Mirror snapshot does not work with XIV microcode 10.2.4. |
| VSSP-64305 | Fixed: The VSS Provider setup cannot create snapshots of dynamic disks. |
| VSSP-65656 | Fixed: The VSS Provider does not work on non-English versions of Windows. |
| VSSP-104010 | Fixed: The Machine Pool Editor cannot enable replicated snapshots. |

Version 2.2.4 (January 2011)

Version 2.2.4 introduced support for VSS replicated snapshots. For more information about this feature, refer to the user guide.

Version 2.2.3 (March 2010)

Version 2.2.3 included the following changes.

| Ticket ID | Description |
|------------|--|
| VSSP-6691 | Enhancement: A command-line interface (CLI) has been added for configuring XIV systems. |
| VSSP-14987 | Fixed: FlashCopy [®] Management (FCM) Instant Restore is not working properly. |
| VSSP-15056 | Fixed: The Validate option in the Machine Pool Editor GUI does not validate storage system data. |

Version 2.2.2 (November 2009)

Version 2.2.2 included the following changes.

| Ticket ID | Description | | | |
|-------------|--|--|--|--|
| VSSP-141612 | Enhancement: Communication with the XIV storage array has been optimized. | | | |
| | VSS operations involving communication with the storage array are completed in a shorter amount of time. | | | |
| VSSP-3658 | Enhancement: Snapshots can be mapped to a single host in a cluster environment. | | | |
| | Starting from XIV microcode 10.2.0, snapshots can be mapped to a single host. This means that even if the host is defined in a cluster, the VSS import operation unmasks the LUNs to the specific host. | | | |
| VSSP-5445 | Enhancement: Added support for volume (LUN) resynchronization on Windows Server 2008 R2. | | | |
| | The VSS resync operation, which allows restoration of volumes from their snapshots, is now available when working on Windows Server 2008 R2. | | | |

| Ticket ID | Description | |
|-----------|--|--|
| VSSP-6093 | Enhancement: The VSS Provider verifies that sufficient space is available in the storage pool during the Prepare phase. | |
| | The minimum required space is $17 \times (\text{number of snapshots to create } +1)$. | |
| VSSP-8418 | Fixed: Missing notification when a snapshot is deleted due insufficient space in the pool. | |
| VSSP-8424 | Fixed: VSS snapshot operation fails when using shadow sets that contain more than five volumes. | |

Known issues

This section details the known issues in version 2.7.0, along with possible workarounds (if workarounds are available).

| Ticket ID | Description | | | |
|------------|--|--|--|--|
| VSSP-6698 | Warning message about storage identifiers that are not supported on Windows Server 2008. | | | |
| | The following warning message is displayed for storage systems that support TPGS: The provider has reported a storage identifier that is not supported by VSS. | | | |
| | This warning message does not affect the normal operation of VSS and you can ignore it. For more information, refer to the relevant Microsoft Support website (support.microsoft.com/kb/951793) | | | |
| VSSP-8889 | Shadow set creation may fail on Windows Server 2008 R2 after LUN resynchronization. | | | |
| | Shadow sets creation may fail after performing LUN resynchronization on Windows Server 2008 R2. This is a known Microsoft VSS issue. | | | |
| | Until Microsoft releases a KB hotfix, you must restart the VS service after each LUN resynchronization. | | | |
| VSSP-17662 | The VSS operation may fail during import on Windows 7 and Windows Server 2008 R2. | | | |
| | A timeout may occur in the VSS process during an import of a shadow set. As a result, one or more snapshots may be missing from the system after a rescan, even if they are mapped to the host by the XIV system. The Microsoft hotfix 977096 (support.microsoft.com/kb/977096) resolves this issue: | | | |
| | This issue was fixed in Windows Server 2008 R2 Service Pack 1. | | | |

| Ticket ID | Description | | | | |
|-------------|--|--|--|--|--|
| VSSP-64302 | An exception occurs when trying to repair a working VSS Provider installation via the Repair option of the installation wizard. | | | | |
| | To resolve this issue: | | | | |
| | 1. Go to Control Panel > Programs and Features > Add or Remove Programs. | | | | |
| | 2. Select the IBM XIV Provider entry and then click Uninstall or Remove . The uninstallation begins. Note: During the uninstallation, ignore any exception error message. | | | | |
| | 3. After the uninstallation is complete, the IBM XIV Provider entry continues to appear in the list of installed programs. | | | | |
| | 4. Select the IBM XIV Provider entry and then click Repair or Change > Repair | | | | |
| - | 5. Follow the Repair wizard until the repair is complete. | | | | |
| VSSP-84189 | On VMware ESX servers, the VSS Provider does not rescan for Host Bus Adapters (HBAs) after unmapping Raw Device Mappings (RDMs). Because the unmapping of RDMs is performed in single mod manually re-scanning for the HBAs of every single unmapped RDM is a time consuming procedure during which the VSS service may be timed out. | | | | |
| | | | | | |
| | To save time, wait for the VMware ESX server to automatically rescan for the HBAs instead of re-scanning manually. | | | | |
| VSSP-147364 | The VSS Provider DLL is left registered after an installation failure. | | | | |
| | When performing a rollback to an older version after an installation failure, the VSS Provider DLL may still be registered in DCOM. | | | | |
| | To remove the DLL from DCOM: | | | | |
| | Click Start > Run and type dcomcnfg.exe in the command box. | | | | |
| | 2. Go to Component Services > Computers > My Computer > DCOM Config | | | | |
| | 3. On the right pane, click the IBM XIV VSS Provider component, and then press Delete on the keyboard. A message box is displayed to confirm the deletion of the component. | | | | |
| | 4. Click Yes. | | | | |

| Ticket ID | Description | | | |
|-------------|--|--|--|--|
| VSSP-164293 | On some occasions, when running Windows Server 2003 or Windows Server 2008 as a guest operating system on a VMware platform connected to XIV version 11.0.0, importing a VSS hardware snapshot created on a RDM device results in a VSS enumeration issue. | | | |
| | To avoid this issue or to resolve it upon occurrence, perform the following procedure before importing VSS hardware snapshots: | | | |
| | 1. Open the command prompt window. | | | |
| | 2. Enter: net stop xProv | | | |
| | 3. Enter: net stop vss | | | |
| | 4. Retry the import operation. | | | |
| VSSP-243718 | The VSS Provider cannot be installed in a directory that is named with anything other than English characters. | | | |
| | Currently there is no workaround for this limitation. | | | |
| VSSP-258222 | The VSS Provider snapshot map parameter (MapSnapShot) in the Windows registry might get a wrong host name. | | | |
| | This occurs due to low-case characters that Windows Server might record in the DeviceIdentifierPage registry parameter, located at: | | | |
| | HKEY_LOCAL_MACHINE\HARDWARE\DEVICEMAP\Scsi\Scsi Port 3\Scsi Bus 0\Target Id 0\Logical Unit Id 0\DeviceIdentifierPage | | | |
| | To resolve this issue, restart Windows. | | | |
| VSSP-259229 | The IBM XIV VSS Provider service (named "xProv") and the Microsoft VSS service must be restarted on the Windows Server host after the status of mirrored snapshots is changed from Disabled to Enabled. | | | |
| | In such a case, without a service restart, snapshots are not created on mirrored volumes. | | | |
| | Currently there is no workaround for this limitation. | | | |
| VSSP-261047 | The VSS provider cannot unmap a volume when the unmap_vol_set_default_idle_time setting on XIV 11.4.0 is not zero. Workaround: Set unmap_vol_set_default_idle_time to zero before deleting or masking a snapshot. | | | |
| | | | | |

Related information and publications

You can find additional information and publications related to the IBM XIV Provider for Microsoft Windows Volume Shadow Copy Service on the following websites.

• IBM Knowledge Center

- IBM XIV Storage System Information Center (publib.boulder.ibm.com/ infocenter/ibmxiv/r2)
- Microsoft Windows Server troubleshooting center (technet.microsoft.com/en-us/ windowsserver)
- Microsoft MSDN web page for Volume Shadow Copy Service (msdn.microsoft.com/en-us/library/bb968832.aspx)
- VMware ESXi and ESX Info Center (www.vmware.com/products/esxi-and-esx/ overview)
- VMware Product Support for VMware vSphere (www.vmware.com/support/ product-support/vsphere)
- VMware knowledgebase (kb.vmware.com)
- Videos Related to IBM XIV Provider for Microsoft Windows Volume Shadow Copy Service (www.youtube.com/channel/UCRIw6cXxi--bHnMWG45VgNw)

Getting information, help, and service

If you need help, service, technical assistance, or want more information about IBM products, you can find various sources to assist you. You can view the following websites to get information about IBM products and services and to find the latest technical information and support.

- IBM website (ibm.com[®])
- IBM Support Portal website (www.ibm.com/storage/support)
- IBM Directory of Worldwide Contacts website (www.ibm.com/planetwide)

Notices

These legal notices pertain to IBM Storage Host Software Solutions product documentation.

This information was developed for products and services offered in the U.S.A.

IBM may not offer the products, services, or features discussed in this document in other countries. Consult your local IBM representative for information on the products and services currently available in your area. Any reference to an IBM product, program, or service is not intended to state or imply that only that IBM product, program, or service may be used. Any functionally equivalent product, program, or service that does not infringe any IBM intellectual property right may be used instead. However, it is the user's responsibility to evaluate and verify the operation of any non-IBM product, program, or service.

IBM may have patents or pending patent applications covering subject matter described in this document. The furnishing of this document does not grant you any license to these patents. You can send license inquiries, in writing, to:

IBM Director of Licensing IBM Corporation North Castle Drive Armonk, NY 10504-1785 U.S.A.

For license inquiries regarding double-byte character set (DBCS) information, contact the IBM Intellectual Property Department in your country or send inquiries, in writing, to:

Intellectual Property Licensing Legal and Intellectual Property Law IBM Japan Ltd. 1623-14, Shimotsuruma, Yamato-shi Kanagawa 242-8502 Japan

The following paragraph does not apply to the United Kingdom or any other country where such provisions are inconsistent with local law: INTERNATIONAL BUSINESS MACHINES CORPORATION PROVIDES THIS PUBLICATION "AS IS" WITHOUT WARRANTY OF ANY KIND, EITHER EXPRESS OR IMPLIED, INCLUDING, BUT NOT LIMITED TO, THE IMPLIED WARRANTIES OF NON-INFRINGEMENT, MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. Some states do not allow disclaimer of express or implied warranties in certain transactions, therefore, this statement may not apply to you.

This information could include technical inaccuracies or typographical errors. Changes are periodically made to the information herein; these changes will be incorporated in new editions of the publication. IBM may make improvements and/or changes in the product(s) and/or the program(s) described in this publication at any time without notice.

Any references in this information to non-IBM Web sites are provided for convenience only and do not in any manner serve as an endorsement of those Web sites. The materials at those Web sites are not part of the materials for this IBM product and use of those Web sites is at your own risk.

IBM may use or distribute any of the information you supply in any way it believes appropriate without incurring any obligation to you.

Licensees of this program who wish to have information about it for the purpose of enabling: (i) the exchange of information between independently created programs and other programs (including this one) and (ii) the mutual use of the information which has been exchanged, should contact:

IBM Corporation Attn: Office of Legal Counsel 650 Harry Road San Jose, CA 95120-6099 U.S.A.

Such information may be available, subject to appropriate terms and conditions, including in some cases, payment of a fee.

The licensed program described in this document and all licensed material available for it are provided by IBM under terms of the IBM Customer Agreement, IBM International Program License Agreement or any equivalent agreement between us.

Any performance data contained herein was determined in a controlled environment. Therefore, the results obtained in other operating environments may vary significantly. Some measurements may have been made on development-level systems and there is no guarantee that these measurements will be the same on generally available systems. Furthermore, some measurements may have been estimated through extrapolation. Actual results may vary. Users of this document should verify the applicable data for their specific environment.

Information concerning non-IBM products was obtained from the suppliers of those products, their published announcements or other publicly available sources. IBM has not tested those products and cannot confirm the accuracy of performance, compatibility or any other claims related to non-IBM products. Questions on the capabilities of non-IBM products should be addressed to the suppliers of those products.

All statements regarding IBM's future direction or intent are subject to change or withdrawal without notice, and represent goals and objectives only.

This information contains examples of data and reports used in daily business operations. To illustrate them as completely as possible, the examples include the names of individuals, companies, brands, and products. All of these names are fictitious and any similarity to the names and addresses used by an actual business enterprise is entirely coincidental.

Trademarks

IBM, the IBM logo, and ibm.com are trademarks or registered trademarks of International Business Machines Corp., registered in many jurisdictions worldwide. Other product and service names might be trademarks of IBM or other companies. A current list of IBM trademarks is available on the Copyright and trademark information website (www.ibm.com/legal/us/en/copytrade.shtml).

Microsoft, Windows Server, Windows, and the Windows logo are trademarks or registered trademarks of Microsoft Corporation in the United States, other countries, or both.

VMware, ESX, ESXi, vSphere, vCenter, and vCenter Site Recovery Manager are trademarks or registered trademarks of VMware Corporation in the United States, other countries, or both.

Other product and service names might be trademarks of IBM or other companies.

IBM

Printed in USA